MATERIAL SAFETY DATA SHEET
Effective Date: none Revision Date: none
Balkamp Instant Gas Tank Repair .25 oz.
Code: LOC Page: 1

Section 1 - Product and Company Identification

PRODUCT NAME: Balkamp Instant Gas Tank Repair .25 oz.

MANUFACTURER'S NAME: EMERGENCY TELEPHONE NUMBER
Loctite Corporation (203)571-5100

Rocky Hill, CT 06067 MISCELLANEOUS INFORMATION

Section 2 - Hazardous Ingredients

Ingredients	CAS No.	%
Epoxy resin	25068-38-6	Unknown
Substituted aminophenol	90-72-2	Unknown
Non-hazardous ingredients	Proprietary	Unknown

Ingredients which have exposure limits

Ingredients	Exposure Limits (TWA) (TLV)	ACGIH (PEL)	OSHA	OTHER

Ingredients	Exposure Limits (STEL) (TLV)	ACGIH (PEL)	OSHA

Section 3 - Hazards Indentification

Toxicity: Possible skin and eye irritant. Possible sensitizer.
Primary Routes of Entry: Skin and eye contact, ingestion.
Signs and symptoms of Exposure: May cause dermatitis on prolonged contact in sensitive individuals.
Existing Conditions Aggravated by Exposure: Skin and eye conditions.

Ingredients	Literature Referenced Target Organ and Other Health Effects	Carcinogen NTP	IARC	OSHA
Epoxy resin	ALG IRR	NO	NO	NO
Substituted aminophenol	IRR	NO	NO	NO
Non-hazardous ingredients	No Data	NO	NO	NO

Abbreviations

ALG Allergen IRR Irritant

==========

Section 4 - First Aid Measures

Ingestion: Induce vomiting. Obtain medical attetion.
Inhalation: Does not apply
Skin Contact: Wash with soap and water.
Eye Contact: Flush at least 15 minutes with water. Obtain medical attention.

==========

Section 5 - Firefighting Measures

Flash Point: More than 200 Deg. F Method: Tag Closed Cup
Recommended
Extinguishing Agents: Carbon dioxide, foam, dry chemical, water spray
Hazardous Products formed
by Fire or Thermal Decomp Aldehydes, acids, oxides of carbon, sulfur, nitrogen.
Unusual Fire or
Explosion Hazards: None

Explosive Limits:
(% by volume in air)Lower Not available
(% by volume in air)Upper Not available

==========

Section 6 - Environmental Release Measures

Steps to be taken in case
of spill or leak: Soak up in an inert absorbent. Store in a partly filled, closed container until disposal.

==========

Section 7 - Handling and Storage

Safe Storage: Store below 100 Deg. F

(Contact Loctite Customer Service 1-800-243-4874 for shelf Life information)

Handling: Avoid prolonged skin contact. Keep away from eyes.
Wash hands with soap and water after use.

==========

Section 8 - Exposure Controls/Personal Protection

Eyes: Safety glasses or goggles.
Skin: Polyethylene gloves.
Ventilation: None normally needed.
See Section 2 for Exposure Limits.

==========

==========

Section 9 - Physical and Chemical Properties

Appearance: Resin: Grey putty; Hardener: Black putty

Odor: Slight mercaptan
Boiling Point: Not available
pH: Does not apply
Solubility in Water: Negligible
Specific Gravity 1.9
Volatile Organic Compound
(EPA Method 24) 1.25%; 23.8 grams per liter
Vapor Pressure: Not available
Vapor Density: Not available
Evaportation Rate
(Ether = 1) Not available

==========
Section 10 - Stability and Reactivity

Stability: Stable
Hazardous Polymerization: Will not occur
Incompatibility: None known
Hazardous Decomposition
Products (non-thermal): Aldehydes, acids, carbon monoxide, oxides of sulfur and nitrogen.

==========
Section 11 - Toxicological Information

See Section 3.

==========
Section 12 - Ecological Information

No data available

==========
Section 13 - Disposal Considerations

Recommended methods of
disposal: Incinerate following EPA and local regulations.

==========
Section 14 - Transport Information

DOT (49 CFR 172)
Domestic Ground Transport
Proper Shipping Name: Unrestricted
Hazard Class or
Division: Unrestricted
Identification Number: None
Marine Pollutant: None
IATA
Proper Shipping Name: Unrestricted
Class or Division: Unrestricted
UN or ID Number: None

==========

==========
Section 15 - Regulatory Information

CA Proposition 65: Warning: This product contains a chemical known to the State of California to cause cancer.

==========

Section 16 - Other Information

Estimated NFPA(R) Code:
Health Hazard: 2
Fire Hazard: 1
Reactivity Hazard: 0
Specific Hazard: Does not apply

Estimated HMIS(R) Code:
Health Hazard: 2
Flammability Hazard: 1
Reactivity Hazards: 0
Personal Protection: See Section 8.

NFPA is a registered trademark of the National Fire Protection Assn.
HMIS is a registered trademark ot the National Paint and Coatings Assn.

Prepared By: Stephen Repetto
Title: Research Chemist, Environmental Health & Safety
Company: Loctite Corp., 1001 Tr Br Cr, Rocky Hill CT 06067
(24hr.) Phone: (860) 571-5100
Revision Date: January 22, 1996 Revision: 0003