Material Safety Data Sheet

SECTION I - Material Identity

SECTION II - Manufacturer's Information

SECTION III - Physical/Chemical Characteristics

SECTION IV - Fire and Explosion Hazard Data

SECTION V - Reactivity Data

SECTION VI - Health Hazard Data

SECTION VII - Precautions for Safe Handling and Use

SECTION VIII - Control Measures

SECTION IX - Label Data

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name

Part Number/Trade Name

COLORPLACE (R) SPRAY ENAMEL

(20007-20018,20025,20028,20036)

National Stock Number 8010L4161932027

CAGE Code 1PFF0
Part Number Indicator A
MSDS Number 191591

HAZ Code B

SECTION II - Manufacturer's Information

Manufacturer Name COLOR PLACE (DIST. WAL-MART

STORES, INC)

City BENTOINVILLE

State AR
Country US
Zip Code 72716

Emergency Phone 216-566-2917
Information Phone 216-566-2902

MSDS Preparer's Information

Date MSDS Prepared/Revised 17APR00
Active Indicator Y

Alternate Vendors

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	AEROSOL PAINT
Boiling Point	<0-395F
Melting Point	NA
Vapor Pressure	NR
Vapor Density	> AIR
Specific Gravity	0.81
Evaporation Rate	> ETHER
Solubility in Water	NA
Percent Volatiles by Volume	94
Container Type	R
Container Pressure Code	2
Temperature Code	4
Product State Code	L

SECTION IV - Fire and Explosion Hazard Data $\,$

Flash Point Flash Point Method	0 PMCC
Lower Explosion Limit	1.0
Upper Explosion Limit	12.8
Extinguishing Media	CARBON DIOXIDE, DRY CHEMICAL, FOAM
Special Fire Fighting Procedures	FULL PROTECTIVE EQUIPMENT INCLUDING SCBA SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTOIGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT
Unusual Fire/Explosion Hazards	ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. APPLICATION TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS. DURING EMERGENCY

CONDITIONS OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD. SYMPTOMS MAY NOT BE IMMEDIATELY APPARENT. OBTAIN MEDICAL ATTENTION

SECTION V - Reactivity Data

Stability N/K

Stability Conditions to Avoid NONE KNOWN Materials to Avoid NONE KNOWN

Hazardous Decomposition Products BY FIRE - CARBON DIOXIDE,

CARBON MONOXIDE

Hazardous Polymerization NO

Polymerization Conditions to Avoid WILL NOT OCCUR

SECTION VI - Health Hazard Data

Route of Entry: Skin YES
Route of Entry: Ingestion NO
Route of Entry: Inhalation YES

Health Hazards - Acute and Chronic IRRITATION OF EYES, SKIN AND

RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND POSSIBLY

DEATH

Carcinogenity: NTP NO

Carcinogenity: IARC POSSIBLE

Carcinogenity: OSHA NO

Explanation of Carcinogenity CARBON BLACK IS LISTED AS POSSIBLE CARCINOGEN BY IARC

Symptoms of Overexposure [[INHAL] IRRITATION OF

RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION.

EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND POSSIBLY

DEATH. HEADACHE, DIZZINESS,

NAUSEA, AND LOSS OF COORDINATION. [EYE/SKIN]

REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR

EXCESSIVE SKIN EXPOSURE

Medical Cond. Aggrevated by Exposure

Emergency/First Aid Procedures

NR

[INHAL] REMOVE FROM EXPOSURE.
RESTORE BREATHING. KEEP WARM
AND QUIET. [SKIN] WASH AFFECTED

AREA THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. [EYE] FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15 MIN. GET MED ATTEN. [INGEST] NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DO NOT INDUCE VOMITING. GIVE SEVERAL GLASSES OF WATER. GET MED ATTEN

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled

REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT

Waste Disposal Method

WASTE FROM THESE PRODUCTS MAY BE HAZARDOUS AS DEFINED UNDER THE RCRA (40 CFR 261). WASTE MUST BE TESTED FOR IGNITABILITY TO DETERMINE THE APPLICABLE EPA HAZARDOUS WASTE NUMBERS. DO NOT INCINERATE. DEPRESSURIZE CONTAINER. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS

Handling and Storage Precautions

KEEP AWAY FROM HEAT, SPARKS,
AND OPEN FLAME. VAPORS WILL
ACCUMULATE READILY AND MAY
IGNITE EXPLOSIVELY. DURING USE
AND UNTIL ALL VAPORS ARE GONE.
KEEP AREA VENTILATED - DO NOT
SMOKE. EXTINGUISH ALL FLAMES,
PILOT LIGHTS, AND HEATERS. TURN
OFF STOVES, ELECTRIC TOOLS,
APPLIANCES, ANY OTHER SOURCE OF
IG

Other Precautions

USE APPROVED BONDING AND GROUNDING PROCEDURES. CONTENTS UNDER PRESSURE. HEAT FROM SUNLIGHT, RADIATORS, STOVES, HOT WATER, AND OTHER HEAT SOURCES COULD CAUSE CONTAINER TO BURST. DO NOT TAKE INTERNALLY. KEEP OUT OF THE REACH OF CHILDREN

SECTION VIII - Control Measures

CONTROLLED BELOW APPLICABLE
LIMITS BY VENTILATION, WEAR A
PROPERLY FITTED ORGANIC
VAPOR/PARTICULATE RESPIRATOR

APPROVED BY NIOSH/MSHA FOR PROTECTION AGAINST MATERIALS

Ventilation LOCAL EXHAUST PREFERABLE.

GENERAL EXHAUST ACCEPTABLE IF THE EXPOSURE TO MATERIALS IS

MAINTAINED BELOW PEL

Protective Gloves CHEMICAL RESISTANT GLOVES

Eye Protection WEAR SAFETY SPECTACLES WITH

UNPERFORATED SIDESHIELDS

Other Protective Equipment N

Work Hygenic Practices WASH THOROUGHLY AFTER HANDLING

Supplemental Health/Safety Data INTENTIONAL MISUSE BY

DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE

HARMFUL OR FATAL

SECTION IX - Label Data

Protect Eye YES Protect Skin YES Protect Respiratory YES Chronic Indicator YES Contact Code SLIGHT Fire Code UNKNOWN Health Code UNKNOWN React Code UNKNOWN

Specific Hazard and Precaution TARGET ORGANS: LIVER, URINARY

SYSTEM, BLOOD FORMING SYSTEM,

CARDIOVASCULAR SYSTEM, REPRODUCTIVE SYSTEM

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds (P/G) 3.92 Volatile Organic Compounds (G/L) 469.7682

SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	PROPANE (15-18%)
CAS Number	74986
Proprietary	NO
Percent	18
Ingredient #	02
Ingredient Name	BUTANE (15-17%)
CAS Number	106978
Proprietary	NO
Percent	17
OSHA PEL	800 PPM
ACGIH TLV	800 PPM
Ingredient #	03
Ingredient Name	SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH. (7-15%)
CAS Number	64742898
Proprietary	NO
Percent	15
OSHA PEL	100 PPM
ACGIH TLV	100 PPM
Ingredient #	04
Ingredient Name	BENZENE, METHYL- (11-45%)
CAS Number	108883
Proprietary	NO
Percent	45
OSHA PEL	100 PPM
ACGIH TLV	100 PPM
Ingredient #	05
Ingredient Name	BENZENE, 1,3,5-TRIMETHYL- (0-1%)
CAS Number	108678
Proprietary	NO
Percent	1
OSHA PEL	25 PPM
ACGIH TLV	25 PPM
Ingredient #	06
Ingredient Name	BENZENE, 1,2,4-TRIMETHYL- (0-2%)
CAS Number	95636
Proprietary	NO
Percent	2
OSHA PEL	25 PPM
ACGIH TLV	25 PPM

```
Ingredient #
                                          07
Ingredient Name
                                          ETHANOL, 2-BUTOXY- (0-3%)
CAS Number
                                          111762
Proprietary
                                          NO
Percent
OSHA PEL
                                          25 PPM
ACGIH TLV
                                          25 PPM
Ingredient #
                                          80
                                          2-PROPANONE (6-24%)
Ingredient Name
CAS Number
                                          67641
Proprietary
                                          NO
Percent
                                          24
OSHA PEL
                                          1000 PPM
ACGIH TLV
                                          500 PPM
Ingredient #
                                          09
Ingredient Name
                                          *TALC (0-14%)
CAS Number
                                          14807966
Proprietary
                                          NO
Percent
                                          14
OSHA PEL
                                          2 MG/M3
ACGIH TLV
                                          2 MG/M3
Ingredient #
                                          10
Ingredient Name
                                          *TITANIUM DIOXIDE (0-8%)
CAS Number
                                          13463677
Proprietary
                                          NO
Percent
                                          8
                                          10 MG/M3
OSHA PEL
ACGIH TLV
                                          10 MG/M3
Ingredient #
                                          11
                                          *CARBON BLACK (0-0.4%)
Ingredient Name
CAS Number
                                          1333864
                                          NO
Proprietary
Percent
                                          0.4
OSHA PEL
                                          3.5 MG/M3
ACGIH TLV
                                          3.5 MG/M3
Ingredient #
                                          12
Ingredient Name
                                          2-PROPANOL, 1-BUTOXY- (IN 20014
                                          ONLY)
CAS Number
                                          5131668
Proprietary
                                          NO
                                          2
Percent
OSHA PEL
                                          NE
ACGIH TLV
                                          NE
Ingredient #
                                          13
Ingredient Name
                                          * AMORPHOUS PRECIPITATED SILICA
```

(IN 20018 ONLY)

CAS Number 112926008

Proprietary NO Percent 2

OSHA PEL 6 MG/M3 ACGIH TLV 10 MG/M3

Ingredient # 14

Ingredient Name SOLVENT NAPHTHA, PETROLEUM, MEDIUM ALIPH. (IN 20012 ONLY)

CAS Number 64742887

Proprietary NO Percent 1

OSHA PEL 100 PPM ACGIH TLV 100 PPM

Ingredient #
15

Ingredient Name *BRONZE PIGMENT (IN 20013 ONLY)

CAS Number 1003
Proprietary NO
Percent 5
OSHA PEL NE
ACGIH TLV NE