a-25-05

7074437962

ENVIRONMENTAL TECH

PAGE 02

MATERIAL SAFETY DATA SHEET

02918-911 Codes

PRODUCT NAME: ENVIROTEX LITE - RESIN

Page 1 of 3

PRODUCT CLASS: EPOXY RESIN

PRODUCT NUMBER: 02007, 020\$PC, 02008, 02008C, 02016, 02016C, 02032, 02032C, 02064, 02064C, 02128. 02128C

D.O.T. SHIPPING INFORMATION: NON-HAZARDOUS
TRANSPORTATION EMERGENCY PHONE NUMBER: CHEMTREC (800) 424-9300


SECTION I

ENVIRONMENTAL TECHNOLOGY, INC. 300 SOUTH BAY DEPOT ROAD

FIELDS LANDING, CA 95537 PHONE NUMBER FOR INFORMATION: (707) 443-9323

DATE PREPARED: 8/9/2004

PREPARED BY: TECHNICAL DEPARTMENT



SECTION II Hazardous Ingredients/Identity Information

HAZARDOUS COMPONENTS	CAS REG.NO.	APPRO X WT.%	ACGIH TWA/TLV	OSHA PEL	VAPOR PRESSU RE mm Hg
BISPHENOL A/EPICHLOROHYDRIN RESIN	25068-38-6	85	N/S	N/E_	<1
ALIPHATIC AND AROMATIC GLYCIDL ETHERS	MIXTURE	15	N/E	N/E	<1

Although no exposure standards have been established for this product, air contaminant concentrations must be maintained at lowest possible levels. T/S = TRADE SECRET N/A = NOT AVAILABLE N/E = NOT ESTABLISHED

SECTION III - Physical/Chemical Characteristics

BOILING RANGE °F	>350	PERCENT VOLATILE BY VOLUME		T/S
MELTING OR FREEZING POINT	N/A	PERCENT VOLATILE BY WEIGHT		T/S
VAPOR DENSITY (AIR=1)	>1	EVAPORATION RATE (SLOWER THAN ETHER)	LBS./GAL	9.6
SOLUBILITY IN WATER: SLIGHTLY SOLUBLE			VOC LBS/GAL	T/S
APPEARANCE AND ODOR: CHARACTERISTIC, EPOXY RI		COLORLESS, VISCOUS LIQUID WITH DR	VOC GRAMS/LITER	T/S

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): TOC >160 F FLAMMABLE LIMITS: LEL: N/E UEL: N/E EXTINGUISHING MEDIA: X FOAM X ALCOHOL FOAM X CO2 X DRY CHEMICAL X WATER SPRAY OTHER

SPECIAL FIRE FIGHTING PROCEDURES: USE NIOSH APPROVED PROTECTIVE CLOTHING INCLUDING POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS(SCBA). COOL UNOPENED CONTAINERS WITH WATER SPRAY.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE EXPECTED

SECTION V - REACTIVITY DATA

STABILITY __UNSTABLE X_STABLE / CONDITIONS TO AVOID:

ENVIRONMENTAL TECH

PAGE 03

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ENVIROTEX LITE - RESIN

Page 2 of 3

INCOMPATIBILITY (MATERIAL\$ TO AVOID): AVOID CONTACT WITH STRONG ACIDS, AMINES OR OXIDIZING

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: BURNING PRODUCT WILL EMIT TOXIC FUMES INCLUDING OXIDES OF CARBON AND NITROGEN, AND VARIOUS CHLORINATED COMPOUNDS.

HAZARDOUS POLYMERIZATION __MAY OCCUR _X_MAY NOT OCCUR.

SECTION VI - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY: INHALATION? YES SKIN? YES INGESTION? UNLIKELY HEALTH HAZARDS (ACUTE AND CHRONIC): MILDLY IRRITATING TO EYES AND SKIN, VAPORS AND/OR SKIN CONTACT COULD CAUSE SENSITIZATION. VAPORS ARE IRRITATING TO RESPIRATORY TRACT. REACTIONS TO INGESTION ARE UNDETERMINED.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO SIGNS AND SYMPTOMS OF EXPOSURE: SENSITIZATION MAY CAUSE HIVE-LIKE RASH AND BREATHING DIFFICULTIES. EYE OR SKIN CONTACT WOULD PRODUCE REDNESS AND IRRITATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: PRE-EXISTING SKIN OR EYE PROBLEMS MAY BE WORSENED BY EXPOSURE TO THIS PRODUCT. EXISTING ALLERGIES MAY INCREASE THE POSSIBILITY OF ALLERGIES TO THIS MATERIAL.

EMERGENCY AND FIRST AID PROCEDURES: ORAL: INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY! EYES: SEVERE IRRITANT TO EYES. IN CASE OF EYE CONTACT, FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES AND GET PROMPT MEDICAL ATTENTION. SKIN: WASH IMMEDIATELY WITH SOAP AND RINSE THOROUGHLY WITH WATER. DO NOT USE SOLVENTS OR ALCOHOL TO REMOVE PRODUCT FROM SKIN. INHALATION: MOVE TO FRESH AIR. IF NOT BREATHING ADMINISTER CPR. IF BREATHING IS DIFFICULT GET MEDICAL ATTENTION.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND NIOSH APPROVED RESPIRATOR. DIKE AND CONTAIN SPILL. SPREAD ABSORBENT MATERIAL. KEEP SPECTATORS AWAY.

WASTE DISPOSAL METHOD: NOT A RCRA HAZARDOUS WASTE AS SUPPLIED; USER MUST DETERMINE RCRA STATUS AT TIME OF DISPOSAL. LANDFILL OR INCINERATE IN ACCORDANCE WITH EXISTING FEDERAL. STATE, AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL DRY AREA, AWAY FROM STRONG OXIDANTS, HEAT OR IGNITION SOURCES. ALWAYS KEEP CONTAINERS CLOSED. DO NOT GET ON SKIN OR BREATHE VAPORS.

OTHER PRECAUTIONS: CLEAN UP ANY SPILLS IMMEDIATELY. WASH ANY AREAS OF BODY CONTACT IMMEDIATELY.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE): NIOSH APPROVED TO PREVENT INHALATION OF VAPORS; IF VENTILATION IS INADEQUATE, SCBA MAY BE REQUIRED.

VENTILATION: LOCAL EXHAUST: IF REQUIRED, SPECIAL VENTILATION MUST BE ADEQUATE TO AVOID BREATHING VAPORS.

USE IN SEALED EQUIPMENT AS MUCH AS POSSIBLE. MECHANICAL (GENERAL): REQUIRED

PROTECTIVE GLOVES: NEOPRENE OR RUBBER EYE PROTECTION: SAFETY GOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: TO AVOID ALL SKIN CONTACT. WEAR PROTECTIVE APRON AND AVOID FOOT CONTACT.

WORK/HYGIENIC PRACTICES: WASH AT END OF WORK SHIFT, BEFORE EATING, SMOKING OR USING RESTROOM. DO NOT RE-USE CONTAMINATED CLOTHING.

REGULATORY INFORMATION: THIS PRODUCT IS REGULATED UNDER SARA TITLE III SECTION 311 AS ACUTELY HAZARDOUS.

7074437962

ENVIRONMENTAL TECH

PAGE 04

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ENVIROTEX LITE - RESIN

Page 3 of 3

All information, recommendations, and suggestions appearing herein concerning our product are based upon tests and data believed to be reliable. However, it is the user's responsibility to determine the safety, toxicity, and suitability for his or her own use of the product described herein. Since the actual use by others is beyond Environmental Technology, Inc.'s control, no guarantee, expressed or implied, is made by Environmental Technology, Inc. as to the effects of such use, the results to be obtained, or the safety and toxicity of the product.

7074437962

ENVIRONMENTAL TECH

PAGE 05

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ENVIROTEX LITE - HARDENER

Page 1 of 3

PRODUCT CLASS: CLEAR EPOXY HARDENER

PRODUCT NUMBER: 02007, 02007C, 02008, 02008C, 02016, 02016C, 02032, 02032C, 02064, 02064C, 02128, 02128C

D.O.T. SHIPPING INFORMATION:

PROPER SHIPPING NAME: CONSUMER COMMODITY

PROPER HAZARD CLASS: ORM-D

TRANSPORTATION EMERGENCY PHONE NUMBER:


CHEMTREC (800) 424-9300

ENVIRONMENTAL TECHNOLOGY, INC. 300 SOUTH BAY DEPOT ROAD FIELDS LANDING, CA 95537

PHONE NUMBER FOR INFORMATION: (707) 443-9323

DATE PREPARED: 8/9/2004

PREPARED BY: TECHNICAL DEPARTMENT



SECTION II Hazardous ingradients/Identity information

SECTION II Hazardous ingredients/ident	ity iiisormation				
HAZARDOUS COMPONENTS	CAS REG.NO.	APPROX WT.%	ACGIH TWA/TLV	OSHA PEL	VAPOR PRESSURE
	1				mm Hg
NONYL PHENOL	84852-15-3	55	N/E	N/E	<1
N-AMINOETHYLPIPERAZINE	140318	5	N/E	N/E	0.05
POLYOXYALKYLENEAMINES	MIXTURE	40	N/E	N/E	N/E

Although no exposure standards have been established for this product, air contaminant concentrations must be maintained at lowest possible levels. T/S = TRADE SECRET N/A = NOT AVAILABLE N/E = NOT ESTABLISHED

SECTION III - Physical/Chemical Characteristics

BOILING RANGE °F	>400	PERCENT VOLATILE BY VOLUME	DLUME			
MELTING OR FREEZING POINT	N/E	PERCENT VOLATILE BY WEIGHT		N/A		
VAPOR DENSITY (AIR=1)	>1	EVAPORATION RATE (SLOWER THAN ETHER)	LBS/GAL	8.1		
SOLUBILITY IN WATER.			voc	N/A		
SLIGHT			LBS/GAL	ļ		
APPEARANCE AND ODOR: CLEAR, SLIGHTLY YELLOW, SOMEWHAT VISCOUS			VOC	N/A		
SOLUTION WITH TYPICAL AMINE ODOR (SOMEWHAT FISHY)			GRAMS/LITER			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA
FLASH POINT (METHOD USED): >200 F PMCC FLAMMABLE LIMITS: LEL: N/E UEL: N/E

EXTINGUISHING MEDIA: X FOAM X ALCOHOL FOAM X CO2 X DRY CHEMICAL X WATER SPRAY OTHER

SPECIAL FIRE FIGHTING PROCEDURES: USE NIOSH APPROVED PROTECTIVE CLOTHING INCLUDING POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS(SCBA). COOL UNOPENED CONTAINERS WITH WATER SPRAY. UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE EXPECTED

SECTION V - REACTIVITY DATA

STABILITY _UNSTABLE X STABLE / CONDITIONS TO AVOID:

ENVIRONMENTAL TECH

PAGE 06

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ENVIROTEX LITE - HARDENER

Page 2 of 3

INCOMPATIBILITY (MATERIALS TO AVOID): ACIDS OR POLYMERS REACTIVE WITH AMINES HAZARDOUS DECOMPOSITION OR BYPRODUCTS: BURNING PRODUCT WILL EMIT TOXIC OXIDES OF CARBON AND NITROGEN.

HAZARDOUS POLYMERIZATION __MAY OCCUR _X_MAY NOT OCCUR. CONDITIONS TO AVOID: AVOID PRODUCT CONTAMINATION.

SECTION VI - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY: INHALATION? YES SKIN? YES INGESTION? NOT LIKELY HEALTH HAZARDS (ACUTE AND CHRONIC): DANGER - MATERIAL IS CORROSIVE AND COULD SEVERELY BURN SKIN, EYES, RESPIRATORY TRACT, AND LUNGS IF ASPIRATED. COULD CAUSE BLINDNESS OR DEATH IF SWALLOWED.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO SIGNS AND SYMPTOMS OF EXPOSURE: IRRITATION OF EYES, SKIN AND RESPIRATORY SYSTEM. CAUSES PAIN IN EXPOSED AREAS; BLISTERS MAY FORM, ABDOMINAL AND DIGESTIVE TRACT PAIN IF SWALLOWED.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: PRE-EXISTING SKIN AND/OR RESPIRATORY PROBLEMS COULD BE WORSENED BY EXPOSURE TO THIS PRODUCT.

EMERGENCY AND FIRST AID PROCEDURES: ORAL: DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY! EYES: SEVERRE IRRITANT TO EYES. IN CASE OF EYE CONTACT, FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES AND GET PROMPT MEDICAL ATTENTION. SKIN: WASH IMMEDIATELY WITH SOAP AND RINSE THOROUGHLY WITH WATER. DO NOT USE SOLVENTS OR ALCOHOL TO REMOVE PRODUCT FROM SKIN. INHALATION: MOVE TO FRESH AIR. IF NOT BREATHING, ADMINISTER CPR. IF BREATHING IS DIFFICULT, GET MEDICAL ATTENTION.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND NIOSH APPROVED RESPIRATOR. DIKE AND CONTAIN SPILL. SPREAD ABSORBENT MATERIAL. KEEP SPECTATORS AWAY.

WASTE DISPOSAL METHOD: NOT A RCRA HAZARDOUS WASTE AS SUPPLIED; USER MUST DETERMINE RCRA STATUS AT TIME OF DISPOSAL. LANDFILL OR INCINERATE IN ACCORDANCE WITH EXISTING FEDERAL, STATE, AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL DRY AREA, AWAY FROM STRONG OXIDANTS, HEAT OR IGNITION SOURCES. ALWAYS KEEP CONTAINERS CLOSED. DO NOT GET ON SKIN OR BREATHE VAPORS.

OTHER PRECAUTIONS: CLEAN UP ANY SPILLS IMMEDIATELY. WASH ANY AREAS OF BODY CONTACT IMMEDIATELY.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE): NIOSH APPROVED TO PREVENT INHALATION OF VAPORS; IF VENTILATION IS INADEQUATE, SCBA MAY BE REQUIRED.

VENTILATION: LOCAL EXHAUST: IF REQUIRED. SPECIAL VENTILATION MUST BE ADEQUATE TO AVOID BREATHING VAPORS.

USE IN SEALED EQUIPMENT AS MUCH AS POSSIBLE. MECHANICAL (GENERAL); REQUIRED PROTECTIVE GLOVES: NEOPRENE OR RUBBER EYE PROTECTION: SAFETY GOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: TO AVOID ALL SKIN CONTACT, WEAR A PROTECTIVE APRON AND AVOID FOOT CONTACT.

WORK/HYGIENIC PRACTICES: WASH AT END OF WORK SHIFT, BEFORE EATING, SMOKING OR USING RESTROOM. DO NOT RE-USE CONTAMINATED CLOTHING.

ENVIRONMENTAL TECH

PAGE 07

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ENVIROTEX LITE - HARDENER

Page 3 of 3

REGULATORY INFORMATION: THIS PRODUCT IS REGULATED UNDER SARA TITLE III SECTION 311 AS ACUTELY HAZARDOUS.

All information, recommendations, and suggestions appearing herein concerning our product are based upon tests and data believed to be reliable. However, it is the user's responsibility to determine the safety, toxicity, and suitability for his or her own use of the product described herein. Since the actual use by others is beyond Environmental Technology. Inc.'s control, no guarantee, expressed or implied, is made by Environmental Technology, Inc. as to the effects of such use, the results to be obtained, or the safety and toxicity of the product.