



Get the most comprehensive
MSDS/HazCom program on the market!

Material Safety Data Sheet

SECTION I - Material Identity
SECTION II - Manufacturer's Information
SECTION III - Physical/Chemical Characteristics
SECTION IV - Fire and Explosion Hazard Data
SECTION V - Reactivity Data
SECTION VI - Health Hazard Data
SECTION VII - Precautions for Safe Handling and Use
SECTION VIII - Control Measures
SECTION IX - Label Data
SECTION X - Transportation Data
SECTION XI - Site Specific/Reporting Information
SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name	
Part Number/Trade Name	#600, #634 & #666 ALL BASES & COLORS PAINT
National Stock Number	8010P634
CAGE Code	OUH50
Part Number Indicator	A
MSDS Number	194845
HAZ Code	B

SECTION II - Manufacturer's Information

Manufacturer Name	FLAME CONTROL COATINGS INC
P.O. Box	786
Street	4120 HYDE PARK
City	NIAGRA FALLS
State	NY
Country	US

Zip Code	14302
Emergency Phone	800-424-9300
Information Phone	800-535-5053

MSDS Preparer's Information

Date MSDS Prepared/Revised	10FEB03
Active Indicator	Y

Alternate Vendors

Vendor #1 CAGE	OUH50
----------------	-------

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	OPAQUE LIQUID W/CHARACTERISTIC ODOR
Boiling Point	N/A
Melting Point	N/A
Vapor Pressure	N/A
Vapor Density	HVR/AIR
Specific Gravity	1.43
Solubility in Water	MISCABLE
Chemical pH	N/A
Container Type	F
Container Pressure Code	1
Temperature Code	4
Product State Code	L

SECTION IV - Fire and Explosion Hazard Data

Flash Point Method	UNK
Extinguishing Media	INORGANIC DRY CHEMICAL EXTINGUISHING COMPOUNDS, CO2, HIGH EXPANSION CHEMICAL FOAMS, WATER FOG ALCOHOL FOAM
Special Fire Fighting Procedures	WEAR SCBA & FULL PROTECTIVE CLOTHING. COOL CNTRS WHICH HAVE BEEN EXPOSED TO FLAME. MOVE CNTRS FROM FIRE AREA IF POSS
Unusual Fire/Explosion Hazards	NONE

SECTION V - Reactivity Data

Stability	YES
Stability Conditions to Avoid	DO NOT FREEZE
Materials to Avoid	ACIDS, OXIDIZING MATERIALS
Hazardous Polymerization	NO
Polymerization Conditions to Avoid	WILL NOT OCCUR

SECTION VI - Health Hazard Data

Route of Entry: Skin	YES
Route of Entry: Ingestion	YES
Route of Entry: Inhalation	YES
Health Hazards - Acute and Chronic	SEE BELOW
Carcinogenity: NTP	NO
Carcinogenity: IARC	NO
Carcinogenity: OSHA	NO
Explanation of Carcinogenity	NONE
Symptoms of Overexposure	MAY CAUSE NAUSEA & IRRITATION OF THE NOSE, THROAT & RESPIRATORY TRACT. IRRITATING TO SKIN TO LATEX SENSITIVE INDIVIDUALS
Medical Cond. Aggrevated by Exposure	RESPIRATORY SYMPTOMS ASSOCIATED W/PRE-EXSISTING LUNG DISORDERS MAY BE AGGRAVATED
Emergency/First Aid Procedures	EYE: IMMED. FLUSH W/ WATER. REMOVE CONTACT LENSES & FLUSH EYS W/WATER FOR 15 MIN. INCLUDING UNDERNEATH THE EYELIDS. CONSULT PHYSICIAN ASAP FOR IMMED. FOLLOW-UP TREATMENT. SKIN: RINSE AFFECTED AREA W/SOAP & WATER. CONSULT A PHYSICIAN IF IRRITATION OCCURS OR PERSISTS AFTER WASHING THE AFFECTED AREA. INHALE: REMOVE TO FRESH AIR IMMED. IF IRRITATION OCCURS. PROVIDE O2 OR ARTIFICIAL RESPIRATION IF REQUIRED. INGEST: NO FIRST AID IS NORMALLY REQUIRED; HOWEVER, IF SWALLOWED & SYMPTOMS DEVELOP SEEK MEDICAL ATTN

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled	PLACE LEAKING CNTRS IN WELL VENTILATED AREA. CONFINE
------------------------------------	--

Waste Disposal Method	SPILLED MTRL & ABSORB W/SAND, SAWDUST, EARTH OR OTHER AVAIL SOLIDS. DIKE SPILLS TO PREVENT ENTRANCE INTO WATER TABLE OR WATER SYSTEMS. SWEEP & PLACE IN A SUITABLE CNTR
Handling and Storage Precautions	DIPOSE OF I/A/W ALL FEDERAL, STATE AND LOCAL LAW KEEP FROM FREEZING! DO NOT BREATHE VAPORS. KEEP CONTRS CLOSED WHEN NOT IN USE KEEP AWAY FROM CHILDREN. DO NOT TAKE INTERNALLY. AVOID CONTACT W/SKIN. WASH THOROUGHLY AFTER HANDLING

SECTION VIII - Control Measures

Respiratory Protection	USE NIOSH/MSHA APPROVED RESPIRATOR FOR USE W.ORGANIC VAPORS IS REQUIRED DURING STANDARD APPLICATION. FULL-FACE, AIR SUPPLIED RESPIRATORS MAY BE NEEDED FOR EXTENSIVE SPRAY APPLICATION OR FOR PERSONS PARTICULARLY SENSITIVE TO THE ODORS & CHEMICALS. ALWAYS WEAR RESPIRATOR PROTECTIVE EQUIP. WHEN SPRAY APPLYING THE PRODUCT, SANDING OR ABRADING DRIED FILM
Ventilation	TO MAINTAIN EXPOSURE LEVELS TO RESPECTIVE TLV'S FOR THE MTRL COMPONENTS. A MIN. OF 10 AIR-CHANGES PER HOUR IS RECOMM
Protective Gloves	BUTYL RUBBER, NITRILE RUBBER, LATEX, PVC
Eye Protection	GLASSES/GOGGLES
Other Protective Equipment	AS NEEDED TO PREVENT SKIN CONTACT.
Work Hygenic Practices	WASH THOROUGHLY AFTER USE. DO NOT BREATHE VAPORS
Disposal Code	0

SECTION IX - Label Data

Protect Eye	YES
Protect Skin	YES
Protect Respiratory	YES

Chronic Indicator	YES
Contact Code	UNKNOWN
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN
Specific Hazard and Precaution	TARGET ORGANS: RESPIRATORY SYSTEM

SECTION X - Transportation Data

Container Quantity	5
Unit of Measure	GL

SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds (P/G)	.2
Volatile Organic Compounds (G/L)	23.9678

SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	TITANIUM DIOXIDE
CAS Number	13463677
Percent	18
Ingredient #	02
Ingredient Name	LIMESTONE
CAS Number	1317653
Percent	13
Ingredient #	03
Ingredient Name	ETHANOL, 2-CHLORO-, PHOSPHATE (3:1)
CAS Number	115968
Percent	6
