

Material Safety Data Sheet



GEMSTAR GEMINI

Section 1. Chemical product and company identification

Trade name : GEMSTAR GEMINI
Product use : Floor care product
Supplier : Ecolab Inc. Professional Products Division
370 N. Wabasha St.
St. Paul, MN 55102
1-800-247-5362
Code : 933986
Date of issue : 08-May-2006

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, information on ingredients

Name	CAS number	% by weight
ethanol, 2-(2-ethoxyethoxy)-	111-90-0	3
dipropylene glycol methyl ether	34590-94-8	1 - 5
ethanol, 2-butoxy-, phosphate (3:1)	78-51-3	1 - 5

Section 3. Hazards identification

Physical state : Liquid. (Liquid.)
Emergency overview : CAUTION!

Repeated or prolonged contact with irritants may cause dermatitis.
MAY CAUSE EYE IRRITATION.
Avoid contact with eyes. Wash thoroughly after handling.

Potential acute health effects

Eyes : Slightly irritating to the eyes.
Skin : Slightly irritating to the skin.
Inhalation : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.
See toxicological information (section 11)

Section 4. First aid measures

Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin contact : Flush contaminated skin with plenty of water. Wash clothing before reuse.
Inhalation : If inhaled, remove to fresh air.
Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation persists, get medical attention.

Section 5. Fire fighting measures

Flash point : > 100°C
Fire-fighting media and instructions : Use an extinguishing agent suitable for the surrounding fire.

Dike liquid for later disposal.
No specific hazard.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

- Personal precautions** : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- Methods for cleaning up** : If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

- Handling** : Wash thoroughly after handling.
- Storage** : Keep out of the reach of children. Keep container tightly closed. Keep container in a cool, well-ventilated area.
Do not store below 0°C

Section 8. Exposure controls, personal protection

- Engineering controls** : Good general ventilation should be sufficient to control airborne levels.
- Personal protection**
- Eyes** : No protective equipment is needed under normal use conditions.
- Hands** : No protective equipment is needed under normal use conditions.
- Skin** : No protective equipment is needed under normal use conditions.
- Respiratory** : A respirator is not needed under normal and intended conditions of product use.

Name

dipropylene glycol methyl ether

Exposure limits

ACGIH TLV (United States, 1/2005). Skin

STEL: 909 mg/m³ 15 minute/minutes. Form: All forms

STEL: 150 ppm 15 minute/minutes. Form: All forms

TWA: 606 mg/m³ 8 hour/hours. Form: All forms

TWA: 100 ppm 8 hour/hours. Form: All forms

OSHA PEL (United States, 8/1997). Skin

TWA: 600 mg/m³ 8 hour/hours. Form: All forms

TWA: 100 ppm 8 hour/hours. Form: All forms

Section 9. Physical and chemical properties

- Physical state** : Liquid. (Liquid.)
- Color** : White.
- Odor** : Acrylic.
- pH** : 8.6 (100%)
- Specific gravity** : 1.025 (Water = 1)

Section 10. Stability and reactivity

- Stability** : The product is stable.

Section 11. Toxicological information

Potential acute health effects

- Eyes** : Slightly irritating to the eyes.
- Skin** : Slightly irritating to the skin.
- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.
- Chronic effects on humans** : Contains material which causes damage to the following organs: upper respiratory tract, central nervous system (CNS), eye, lens or cornea.

Section 12. Ecological information

Products of degradation : These products are carbon oxides (CO, CO₂) and water, phosphates.

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
DOT Classification	Not regulated.				

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

Section 15. Regulatory information

HCS Classification : Target organ effects
 U.S. Federal regulations : SARA 302/304/311/312 extremely hazardous substances: No products were found.
 SARA 302/304 emergency planning and notification: No products were found.
 TSCA 8(b) inventory : All materials are listed or exempt.
 SARA 313 Product name Concentration
 Form R - Reporting requirements : ethanol, 2-(2-ethoxyethoxy)- 2.68
 California Prop. 65 : No products were found.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :	Health	1
	Fire hazard	0
	Reactivity	0
	Personal protection	--

Date of issue : 08-May-2006.
 Responsible name : Regulatory Affairs
 Date of previous issue : No previous validation.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.