

ShurLine Glas Jeener

NATIONAL CHEMICAL LABORATORIES -- C-ALL AMMONIATED WINDOW & GLASS CLEANER #1315

=====

MSDS Safety Information

=====

FSC: 7930
NIIN: 01-393-6749
MSDS Date: 01/01/1991
MSDS Num: CBVCW
Product ID: C-ALL AMMONIATED WINDOW & GLASS CLEANER #1315
MFN: 01
Responsible Party
Cage: 93607
Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC
Address: 401 N 10TH ST
City: PHILADELPHIA PA 19123-3803
Info Phone Number: 215-922-1200
Emergency Phone Number: 215-922-1200
Preparer's Name: F.C.
Review Ind: Y
Published: Y

=====

Preparer Co. when other than Responsible Party Co.

=====

Cage: 93607
Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC
Address: 401 N 10TH ST
City: PHILADELPHIA PA 19123-3803

=====

Contractor Summary

=====

Cage: 93607
Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC
Address: 401 N 10TH ST
City: PHILADELPHIA PA 19123-3803
Phone: 215-922-1200

=====

Item Description Information

=====

Item Manager: GSA
Item Name: GLASS CLEANER
Unit of Issue: BX
Quantitative Expression: 00000000012EA
UI Container Qty: 1

=====

Ingredients

=====
Cas: 7732-18-5
RTECS #: ZC0110000
Name WATER
% Wt PROP
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 67-63-0
RTECS #: NT8050000
Name: ISOPROPYL ALCOHOL (SARA 313)
% Wt: PROP
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 400 PPM
ACGIH TLV: 400 PPM

Cas: 111-76-2
RTECS #: KJ8575000
Name: 2-BUTOXYETHANOL
% Wt: PROP
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 25 PPM
ACGIH TLV: 25 PPM

Cas: 1336-21-6
RTECS #: BQ9625000
Name: AMMONIUM HYDROXIDE (CERCLA)
% Wt: PROP
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 25 PPM
ACGIH TLV: 25 PPM
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Cas: 141-43-5
RTECS #: KJ5775000
Name: 2-AMINO ETHANOL
% Wt: PROP
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 3 PPM
ACGIH TLV: 3 PPM
=====

Health Hazards Data
=====

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: CAUSES EYE IRRITATION. IF INGESTED MAY CAUSE GASTRIC
DISTRESS & SYSTEMIC INTOXICATION.

Medical Cond Aggravated By Exposure: NONE

First Aid: EYES: FLUSH THOROUGHLY W/WATER UNTIL IRRITATION SUBSIDES. IF
IRRITATION PERSISTS GET MEDICAL AID. IF INGESTED, DO NOT INDUCE VOMITING.
GIVE WATER & GET MEDICAL AID.Handling and Disposal
=====Spill Release Procedures: RECONTAINERIZE BY MOPPING, WET VACUUM, OR SUITABLE
ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS.

Waste Disposal Methods: FOLLOW LOCAL, STATE, FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE BETWEEN 40 & 120F.

Other Precautions: KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE &
STORAGE BY SERVICE PERSONNEL ONLY.Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: 101F, 38C

Lower Limits: NOT EST.

Upper Limits: NOT EST.

Unusual Fire/Explosion Hazard: NONE

Control Measures
=====

Respiratory Protection: NOT REQUIRED

Ventilation: NONE

Protective Gloves: NOT REQUIRED

Eye Protection: NOT REQUIRED

Other Protective Equipment: NONE

Physical/Chemical Properties
=====

B.P. Text: 212F, 100C

Vapor Pres: AS WATER

Vapor Density: AS WATER
PH: 10.7
Evaporation Rate & Reference: AS WATER
Solubility in Water: COMPLETE
Appearance and Odor: CLEAR, THIN LIGHT BLUE LIQUID, MILD AMMONIA ODOR
Percent Volatiles by Volume: 100.0

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: NONE
Materials To Avoid: NONE
Hazardous Decomposition Products: NONE
Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Code: 93607
Trans ID NO: 133340
Product ID: C-ALL AMMONIATED WINDOW & GLASS CLEANER #1315
MSDS Prepared Date: 01/01/1991
Review Date: 09/18/1996
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: BX
Container QTY: 1
Additional Data: NOT REGULATED PER MANUFACTURER
=====