

GLIDDEN COMPANY/SCM CORPORATION -- LIFEMASTER II ACRYLIC
ENAMEL 6900 -- 8010-00F012999

=====
===== Product Identification =====

Product ID:LIFEMASTER II ACRYLIC ENAMEL 6900

MSDS Date:11/01/1988

FSC:8010

NIIN:00F012999

MSDS Number: BJGWW

=== Responsible Party ===

Company Name:GLIDDEN COMPANY/SCM CORPORATION

Address:925 EUCLID AVENUE

City:CLEVELAND

State:OH

ZIP:44115

Info Phone Num:(216) 826-5566

Emergency Phone Num:(216) 826-5566

CAGE:EO697

=== Contractor Identification ===

Company Name:GLIDDEN COMPANY/SCM

Address:925 EUCLID AVENUE

City:CLEVELAND

State:OH

ZIP:44115

Phone:(216) 826-5566

CAGE:EO697

Company Name:GLIDDEN PAINT, ICI PAINTS NORTH AMERICA

Address:925 EUCLID AVE

Box:City:CLEVELAND

State:OH

ZIP:44115

Country:US

Phone:800-545-2643/216-344-8207

CAGE:01PD6

=====
===== Composition/Information on Ingredients =====

Ingred Name:2-(2-BUTOXYETHYOXY)-ETHANOL, DIETHYLENE GLYCOL MONOBUTYL
ETHER (BUTYL CARBITOL)

CAS:112-34-5

RTECS #:KJ9100000

Fraction by Wt: 4-9%

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 22-27%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:DIETHYLENE GLYCOL METHYL ETHER

CAS:111-77-3

RTECS #:KL6125000

Fraction by Wt: 1-5%

Ingred Name:WATER, H2O

CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 39-44%

Ingred Name:ALKYD RESIN
CAS:66070-65-3
Fraction by Wt: 21-26%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: IRRITATION OF RESPIRATORY
TRACT/MUCOUS MEMBRANE, DIZZINESS, HEADACHE, LIGHTHEADEDNESS &
NAUSEA. EYES: IRRITATION & REDNESS. SKIN: IRRITATION. INGESTION:
INJURY.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: IRRITATION OF RESPIRATORY
TRACT/MUCOUS MEMBRANE, DIZZINESS, LIGHTHEADEDNESS, HEADACHE,
NAUSEA/PERMANENT BRAIN/NERVOUS SYSTEM DAMAGE/HARMFUL OR FATAL.
EYES: IRRITATION & REDNESS. SKIN: IRRI TATION. INGESTION: SERIOUS
INJURY.
Medical Cond Aggravated by Exposure:EYES, SKIN, RESPIRATORY DISORDERS.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE & SUPPORT CONTINUED
BREATHING. GET MED ATTN. SKIN: WASH W/PLENTY OF SOAP & WATER.
REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. EYES: FLUSH
W/LARGE AMOUNT S OF WATER FOR AT LEAST 15 MIN. GET MEDATTN.
INGESTION: OBTAIN MED TREATMENT.

=====
===== Fire Fighting Measures =====

Flash Point:>200F
Extinguishing Media:DRY CHEMICAL, FOAM
Fire Fighting Procedures:WATER MAY BE USED TO COOL & PROTECT EXPOSED
CONTAINERS.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY BURST IF EXPOSED TO
EXTREME HEAT OR FIRE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. SPILLS MAY BE COLLECTED
W/ABSORBENT MATERIALS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE <100F. KEEP FROM FREEZING. DON'T
TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT
W/SKIN & EYES, BREATHING OF VAPORS.
Other Precautions:WASH HANDS THOROUGHLY AFTER HANDLING & BEFORE
EATING/SMOKING. KEEP CONTAINERS TIGHTLY CLOSED & UPRIGHT WHEN NOT
IN USE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATORS. IF SANDING IS
DONE, WEAR A DUST MASK.

Ventilation:PROVIDE LOCAL EXHAUST/MECHANICAL VENTILATION TO PREVENT
BUILD-UP OF VAPORS.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES, GOGGLES

Other Protective Equipment:SAFETY SHOWER, EYE WASH

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE. WASH HANDS THOROUGHLY AFTER HANDLING, BEFORE EATING/SMOKING.

Supplemental Safety and Health

WT/GAL: 10.4 LBS. ETHYLENE GLYCOL CAN CAUSE AEVERE KIDNEY DAMAGE WHEN
INGESTED & HAS BEEN SHOWN TO CAUSE BIRTH DEFECTS IN LABORATORY
ANIMALS.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F

Percent Volatiles by Volume:63.7%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS, BASES, OXIDIZING AGENTS

Stability Condition to Avoid:ELEVATED TEMPERATURES, HEAT, FREEZING

Hazardous Decomposition Products:CO, CO2

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND
FEDERAL REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.