

193369

M A T E R I A L S A F E T Y D A T A S H E E T

PAGE 3

SECTION VI REACTIVITY DATA -----

STABILITY Stable

MATERIALS TO AVOID Strong oxidizers or acids.

HAZARDOUS DECOMPOSITION PRODUCTS

Unknown due to the complex nature of this material. Fumes from complete or incomplete combustion of this material may include carbon dioxide, carbon monoxide, water vapor, oxides of nitrogen or a wide variety of innocuous or toxic fumes. Acetic Acid or Acrolein may also be released.

HAZARDOUS POLYMERIZATION Will not occur.

SECTION VII SPILL OR LEAK PROCEDURES -----

STEPS TO BE TAKEN WHEN MATERIAL IS SPILLED OR RELEASED

If liquid allow to harden, then sweep up or peel from floor and package solid product in steel drums which are in good condition.

Thoroughly clean area where spill occurred.

WASTE DISPOSAL METHOD Dispose of in accordance with federal, state, and local regulations. Be aware that state and local requirements may differ widely depending on location and in many cases be different from federal rules. When intending to dispose of this material, the user is advised that this product would not be classified as a Hazardous Waste under Federal Regulations in effect at the time of printing of this MSDS.

SECTION VIII SPECIAL PROTECTION INFORMATION -----

VENTILATION Local exhaust is preferred, Mechanical exhaust is acceptable.

PROTECTIVE GLOVES Not normally required

EYE PROTECTION Not normally required but is desirable as with handling any industrial product.

OTHER PROTECTION Safety shower and eye bath.

BOSTIK DIVISION
Boston Street
Beddleton, MA 01949
617-777-0100 Telex 200282

193369

M A T E R I A L S A F E T Y D A T A S H E E T

PAGE 4

SECTION IX SPECIAL PRECAUTIONS

PRECAUTIONS FOR HANDLING AND STORING

Store in a cool location (60-80 degrees F) away from sunlight and any source of heat. Keep container tightly closed when not being used.

OTHER PRECAUTIONS

Use with adequate ventilation, avoid prolonged or repeated breathing of vapors. Avoid skin contact.

IMPORTANT NOTICE SECTION

IMPORTANT NOTICE: All statements, technical information and recommendations set forth herein are based on information or tests which BOSTIK believes to be reliable. However, BOSTIK cannot guarantee their accuracy or completeness. The buyer should conduct his own tests of this product before use to determine proper preparation technique and suitability for the proposed application. BOSTIK's sale of this product is limited to the terms and conditions set forth on BOSTIK's order acknowledgement.

To summarize, BOSTIK's only warranty is that the product conforms with its written specifications, and is free from defects under normal usage; and BOSTIK's only obligation for non-compliance with this warranty is to replace the product or refund the buyer's purchase price. BOSTIK DISCLAIMS THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. In no case will BOSTIK be liable for direct, consequential, economic or other damages, except for the replacement or refund as set forth above.

PREPARED BY: D.C.Molberg 7/9/86