

GOLD BOND BUILDING PRODUCTS -- READY MIX JOINT COMPOUND (ALL PURPOSE OR TO -- 8030-00N022730

=====  
Product Identification  
=====

Product ID:READY MIX JOINT COMPOUND (ALL PURPOSE OR TO

MSDS Date:11/01/1985

FSC:8030

NIIN:00N022730

MSDS Number: BLVWT

=== Responsible Party ===

Company Name:GOLD BOND BUILDING PRODUCTS

Address:2001 REXFORD RD

City:CHARLOTTE

State:NC

ZIP:28211-3415

Country:US

Info Phone Num:704-365-7300

Emergency Phone Num:704-365-7300

Preparer's Name:N W KALETA

CAGE:9N701

=== Contractor Identification ===

Company Name:GOLD BOND BUILDING PRODUCTS DIV NATIONAL GYPSUM

Address:2001 REXFORD RD

Box:City:CHARLOTTE

State:NC

ZIP:28211-3415

Country:US

Phone:704-365-7300

CAGE:9N701

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CALCIUM CARBONATE

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:5 MG/M3 (RDUST)

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST

Ingred Name:SILICATE, MICA; (MICA)

CAS:12001-26-2

RTECS #:VV8760000

OSHA PEL:20 MPPCF

ACGIH TLV:3 MG/M3 RDUST; 9293

Ingred Name:TALC (POWDER), CONTAINING NO ASBESTOS FIBERS; (TALC)

CAS:14807-96-6

RTECS #:WW2710000

OSHA PEL:2 MG/M3 RDUST

ACGIH TLV:2 MG/M3 RDUST

Ingred Name:SILICA, CRYSTALLINE - QUARTZ; (QUARTZ)

CAS:14808-60-7

RTECS #:VV7330000

Other REC Limits:10 MG/M3 (MFR)

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.1 MG/M3 RDUST;9293

==== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:INHALATION, CONTINUOUS EXPOSURE TO  
HIGH DUST CONCENTRATIONS MAY IMPAIR LUNG FUNCTION.  
Explanation of Carcinogenicity:CRYSTALLINE SILICA QUARTZ. IARC GROUP  
2A.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

==== First Aid Measures =====

First Aid:EYES: WASH WITH WATER FOR AT LEAST 15 MIN. SKIN: WASH WITH  
WATER FOR 15 MIN. INHAL: REMOVE TO FRESH AIR. SUPPORT BRTHG. (GIVE  
O\*2/ARTF RESP) . INGEST: CALL MD IMMED .

==== Fire Fighting Measures =====

Flash Point:NOT COMBUSTIBLE  
Extinguishing Media:NOT APPLICABLE. MEDIA SUITABLE FOR SURROUNDING  
FIRE.  
Fire Fighting Procedures:NOT APPLICABLE. WEAR NIOSH/MSHA APPROVED SCBA  
AND FULL PROTECTIVE EQUIPMENT .

==== Accidental Release Measures =====

Spill Release Procedures:SCOOP OR SHOVEL UP.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

==== Handling and Storage =====

Handling and Storage Precautions:AVOID FREEZING.  
Other Precautions:DO NOT DRY SAND. WET SAND OR SPONGE JOINTS, BEADS AND  
NAILS.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR FOR DUST IF  
NEEDED.  
Protective Gloves:NOT REQUIRED.  
Eye Protection:CHEMICAL WORKERS GOGGLES .  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

==== Physical/Chemical Properties =====

HCC:N1  
Appearance and Odor:WHITE TO GREY PASTE WITH MILD ACETATE ODOR.

==== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ACIDS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:RELEASES CO\*2 WHEN HEATED TO  
DECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND  
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.