

Page: 1 Revision Date: 03/19/2008

Print Date: 5/5/2008

MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Ashland Regulatory Information Number 1-800-325-3751
P.O. Box 2219 Telephone 614-790-3333
Columbus, OH 43216 Emergency telephone 1-800-ASHLAND (1-800-274-5263)

Product name PYROIL® WINDSHIELD DEICER

Product code PYDI11.5
Product Use Description No data

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: aerosol

WARNING! FLAMMABLE LIQUID AND VAPOR. CONTENTS UNDER PRESSURE. MAY AFFECT THE CENTRAL NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA. MAY BE HARMFUL IF INHALED. HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION.

Potential Health Effects

Routes of exposure

Inhalation, Skin absorption, Skin contact, Eye Contact

Eye contact

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin contact

May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, and skin burns. Although rare, skin contact with ethylene glycol may cause allergic skin reaction (delayed skin rash which may be followed by blistering, scaling and other skin effects). Passage of this material into the body through the skin is possible, and may add to toxic effects from breathing or swallowing.



Revision Date: 03/19/2008

Print Date: 5/5/2008 MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

Ingestion

Swallowing this material may be harmful.

Inhalation

Breathing aerosol and/or mist is possible when material is sprayed. Aerosol and mist may present a greater risk of injury because more material may be present in the air than from vapor alone. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material:, Skin, lung (for example, asthma-like conditions), Liver, kidney, Central nervous system, pancreas, Heart, Exposure to this material may aggravate any preexisting condition sensitive to a decrease in available oxygen, such as chronic lung disease, coronary artery disease or anemias.

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:, stomach or intestinal upset (nausea, vomiting, diarrhea), cough, irritation (nose, throat, airways), muscle cramps, high blood pressure, effects on heart rate, effects on breathing rate, pain in the abdomen and lower back, Blurred vision, shortness of breath, cyanosis (causes blue coloring of the skin and nails from lack of oxygen), central nervous system excitation (giddiness, liveliness, light-headed feeling) followed by central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness) and other central nervous system effects, involuntary eye movement, lung edema (fluid buildup in the lung tissue), acute kidney failure (sudden slowing or stopping of urine production), liver damage, visual impairment (including blindness), convulsions, coma

Target Organs

Exposure to lethal concentrations of methanol has been shown to cause damage to organs including liver, kidneys, pancreas, heart, lungs and brain. Although this rarely occurs, survivors of severe intoxication may suffer from permanent neurological damage., Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals:, liver abnormalities, central nervous system damage, reproductive effects, kidney damage, liver damage, Overexposure to this material (or its components) has been suggested as a cause of the following effects in humans:, visual impairment, kidney damage, liver damage



Page: 3 Revision Date: 03/19/2008

Print Date: 5/5/2008

MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

Ethylene glycol has caused birth defects in animal studies at high oral doses. However, it did not cause harm to the pregnant animal or to the fetus when applied to the skin of the pregnant animal., Methanol has caused birth defects in laboratory animals, but only when inhaled at extremely high vapor concentrations. The relevance of this finding to humans is uncertain.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Concentration
METHANOL	67-56-1	>=60-<70%
ETHYLENE GLYCOL	107-21-1	>=5-<10%
CARBON DIOXIDE	124-38-9	>=1.5-<5%

4. FIRST AID MEASURES

Eyes

If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation



Revision Date: 03/19/2008 Print Date: 5/5/2008

MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen.

Notes to physician

Hazards: This product contains methanol which can cause intoxication and central nervous system depression. Methanol is metabolized to formic acid and formaldehyde. These metabolites can cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their onset may be delayed from 6 to 30 hours following ingestion. Ethanol competes for the same metabolic pathway and has been used to prevent methanol metabolism. Ethanol administration is indicated in symptomatic patients or at blood methanol concentrations above 20 ug/dl. Methanol is effectively removed by hemodialysis. Effects of acute ethylene glycol poisoning appear in three fairly distinct stages. The initial stage occurs shortly after exposure, lasts 6-12 hours, and is characterized by central nervous system effects (transient exhilaration, nausea, vomiting, and in severe cases, coma, convulsions, and possible death). The second stage lasts from 12-36 hours after exposure and is initiated by the onset of coma. This phase is characterized by tachypnia, tachycardia, mild hypotension, cyanosis, and in severe cases, pulmonary edema, bronchopneumonia, cardiac enlargement, and congestive failure. The final stage occurs 24-72 post-exposure and is characterized by renal failure, ranging from a mild increase in blood urea nitrogen and creatinine followed by recovery, to complete anuria with acute tubular necrosis that can lead to death. Oxaluria is found in most cases. The most significant laboratory finding in ethylene glycol intoxication is severe metabolic acidosis.

Treatment: This product contains ethylene glycol. Ethanol decreases the metabolism of ethylene glycol to toxic metabolites. Ethanol should be administered as soon as possible in cases of severe poisoning since the elimination half-life of ethylene glycol is 3 hours. If medical care will be delayed several hours, give the patient three to four 1-ounce oral "shots" of 86-proof or higher whiskey before or during transport to the hospital. Fomepizole (4-methylpyrazole) is an effective antagonist of alcohol dehydrogenase, and as such, may be used as an antidote in the treatment of ethylene glycol poisoning. Hemodialysis effectively removes ethylene glycol and its metabolites from the body.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water mist, Carbon dioxide (CO2), Dry chemical

Hazardous combustion products



Page: 5 Revision Date: 03/19/2008

Print Date: 5/5/2008 MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

May form:, carbon dioxide and carbon monoxide

Precautions for fire-fighting

Material is volatile and readily gives off vapors which may travel along the ground or be moved by ventilation and ignited by pilot lights, flames, sparks, heaters, smoking, electric motors, static discharge or other ignition sources at locations near the material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Eliminate all ignition sources (flares, flames including pilot lights, electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source. Prevent from entering drains, sewers, streams or other bodies of water. Prevent from spreading. If runoff occurs, notify authorities as required. Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

Environmental precautions

Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred.

Methods for cleaning up

Absorb liquid on vermiculite, floor absorbent, or other absorbent material and transfer to hood.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

Storage

Store in a cool, dry, ventilated area.



Revision Date: 03/19/2008

Print Date: 5/5/2008 MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

METHANOL	67-56-1	
ACGIH	time weighted average	200 ppm
ACGIH	Short term exposure limit	250 ppm
NIOSH	Recommended exposure limit (REL):	200 ppm
NIOSH	Recommended exposure limit (REL):	260 mg/m3
NIOSH	Short term exposure limit	250 ppm
NIOSH	Short term exposure limit	325 mg/m3
OSHA Z1	Permissible exposure limit	200 ppm
OSHA Z1	Permissible exposure limit	260 mg/m3

ETHYLENE GLYCOL

107-21-1

ACGIH Ceiling Limit Value: 100 mg/m3 Aerosol.

CARBON DIOXIDE	124-38-9
----------------	----------

ACGIH	time weighted average	5,000 ppm
ACGIH	Short term exposure limit	30,000 ppm
NIOSH	Recommended exposure limit	5,000 ppm
	(REL):	
NIOSH	Recommended exposure limit	9,000 mg/m3
	(REL):	
NIOSH	Short term exposure limit	30,000 ppm
NIOSH	Short term exposure limit	54,000 mg/m3
OSHA Z1	Permissible exposure limit	5,000 ppm
OSHA Z1	Permissible exposure limit	9,000 mg/m3

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection



Revision Date: 03/19/2008 Print Date: 5/5/2008

MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Not normally required. However, wear resistant gloves such as nitrile rubber to prevent irritation which may result from prolonged or repeated skin contact with product. Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Respiratory protection

Respiratory protection is not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state aerosol Form aerosol Colour No data No data Odour **Boiling point/boilingrange** No data No data Hq Flash point No data **Evaporation rate** No data **Explosion limits** No data Vapour pressure No data Vapour density No data

Density 0.7972 g/cm3 @ 60.01 °F / 15.56 °C

No data

Solubility No data **Partition coefficient: n-** No data

octanol/water

log Pow no data available

Autoignition temperature No data

10. STABILITY AND REACTIVITY



Revision Date: 03/19/2008

Print Date: 5/5/2008 MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

Stability

Stable.

Conditions to avoid

Avoid contact with:, Heat, flames and sparks.

Incompatible products

Avoid contact with:, strong oxidizing agents

Hazardous decomposition products

May form:, carbon dioxide and carbon monoxide

Hazardous reactions

Product will not undergo hazardous polymerization.

Thermal decomposition

No data

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

METHANOL	LD L0 Human: 300 mg/kg
ETHYLENE GLYCOL	LD 50 Rat: 6,140 mg/kg
	LD 50 Mouse: 14,600 mg/kg
CARBON DIOXIDE	no data available

Acute inhalation toxicity

METHANOL	LC 50 Rat: 64000 ppm, 4 h
ETHYLENE GLYCOL	no data available
CARBON DIOXIDE	no data available

Acute dermal toxicity

METHANOL	LD 50 Rabbit: 12,800 mg/kg
ETHYLENE GLYCOL	LD 50 Rabbit: 10,611 mg/kg
CARBON DIOXIDE	no data available

12. ECOLOGICAL INFORMATION



Revision Date: 03/19/2008

Print Date: 5/5/2008 MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

Aquatic toxicity

Acute and Prolonged Toxicity to Fish No data Acute Toxicity to Aquatic Invertebrates No data

Environmental fate and pathways

No data

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Destroy by liquid incineration. Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Ashland Distribution's Environmental Services Group at 800-637-7922.

14. TRANSPORT INFORMATION

IMDG:

UN1950, AEROSOLS 2.1,

IATA P:

UN1950, Aerosols, flammable 2.1,

IATA C:

UN1950, Aerosols, flammable 2.1,

CFR ROAD:

UN1950, Aerosols 2.1,

CFR RAIL:

UN1950, Aerosols 2.1,

CFR INWTR:

UN1950, Aerosols 2.1,

Dangerous goods descriptions (if indicated above) may not reflect package size, quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION



Revision Date: 03/19/2008

Print Date: 5/5/2008 MSDS Number: R0177148

Version: 1.5

PYROIL® WINDSHIELD DEICER PYDI11.5

California Prop. 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

1,4-DIOXANE

ACETALDEHYDE

SARA Hazard Classification Fire Hazard

Acute Health Hazard

SARA 313 Component(s)

METHANOL 67-56-1 62.4579% ETHYLENE GLYCOL 107-21-1 5.9209%

Reportable quantity - Product

US. EPA CERCLA Hazardous Substances (40 CFR 302) 8005 lbs

Reportable quantity - Components

 METHANOL
 67-56-1
 5000 lbs

 ETHYLENE GLYCOL
 107-21-1
 5000 lbs

 CARBON DIOXIDE
 124-38-9
 none

Health Flammability Reactivity Other
HMIS 2* 3 0
NFPA No data

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).