

MATERIAL SAFETY DATA SHEET
 THE FLOOD COMPANY P O BOX 2535 HUDSON OHIO 44236-0035
 PH: 1-800-321-3444 FAX: 330-650-1453

RESTORA
 CLEAR EXTERIOR VINYL REVITALIZER
 LO-LUSTRE

SECTION I - PRODUCT IDENTIFICATION

NAME OF MANUFACTURER	The Flood Company 1212 Barlow Road P.O. Box 2535 Hudson, Ohio 44236-0035 U.S.A.
EMERGENCY TELEPHONE NO.	800-321-3444 or your local poison control center
TRANSPORTATION	Chemtrec 800-424-9300 (24 hours)
PRODUCT NAME	RESTORA CLEAR EXTERIOR VINYL REVITALIZER LO-LUSTRE
PRODUCT CLASS	Vinyl restorer
DATE OF PREPARATION/CHANGE	11/1/04
PREPARED BY	Safety & Compliance Officer

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENT	PERCENT	OCCUPATIONAL EXPOSURE LIMIT		VAPOR PRESSURE	LD50	LC50
		TLV	PEL			
Dipropylene glycol butyl ether CAS# 29911-28-2	< 2.0	NA	NA	NA	NA	NA
Ethylene Glycol CAS # 107-21-1	< 2.0	50 ppm	50 ppm	< .10Hg@68F	4700 mg/Kg	NA

SECTION III - PHYSICAL DATA

BOILING RANGE	Of water
VAPOR DENSITY	Of water
EVAPORATION RATE	SLOWER THAN ETHER
VOLATILE VOLUME	76.6%
WEIGHT/GALLON	8.55 LBS/GAL
pH	7.9

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/A LEL: - N/A
 EXTINGUISHING MEDIA: () FOAM () ALCOHOL FOAM () CO2
 (X) DRY CHEMICAL () WATER FOG
UNUSUAL FIRE AND EXPLOSION HAZARDS: None
 NOTE: Non-Flammable in liquid state.
EXPLOSION HAZARDS: None
SPECIAL FIREFIGHTING PROCEDURES: Non-flammable in liquid state.

MATERIAL SAFETY DATA SHEET
THE FLOOD COMPANY P O BOX 2535 HUDSON OHIO 44236-0035
PH: 1-800-321-3444 FAX: 330-650-1453

RESTORA
CLEAR EXTERIOR VINYL REVITALIZER
LO-LUSTRE

SECTION V - TRANSPORTATION DATA

DOT / IMDG / IATA - Not Regulated any size

SECTION VI - TOXICOLOGICAL PROPERTIES

EFFECTS OF OVEREXPOSURE:

SKIN: Prolonged or repeated contact with skin may cause some skin irritation depending on the individual's sensitivity but no serious dermatitis hazard is anticipated.

EYE: May cause mild eye irritation.

INHALATION: Prolonged or repeated inhalation may cause some irritation depending on the individual's sensitivity but no serious hazard is anticipated.

SWALLOWING: Swallowing small amounts of this product is not likely to cause harmful effects. Swallowing large amounts may be irritating to mouth, throat and stomach. Chronic ingestion of large amounts may be harmful

None of the ingredients of this mixture are listed as a carcinogen or potential carcinogen by the National Toxicology Program (NTP), International Agency for Research on Cancer (IARC), or the Occupational Safety and Health Administration (OSHA).

MEDICAL CONDITIONS PRONE TO AGGRAVATION BY EXPOSURE: Avoid excessive skin contact.

PRIMARY ROUTE (S) OF ENTRY: (X) DERMAL (X) INHALATION (X) INGESTION (X) EYE

SECTION VII - FIRST AID PROCEDURES

SKIN: Wash affected area with soap and water

EYE: Flush immediately with large amounts of water for at least 15 minutes. If irritation persists, get medical attention.

INHALATION: Remove victim to fresh air. Seek medical attention if symptoms persist.

SWALLOWING: If large amounts are swallowed or if irritation occurs, seek medical attention.

Drink one or two glasses of water. Do not induce vomiting or give anything by mouth to an unconscious person.

SECTION VIII - REACTIVITY DATA

STABILITY: () UNSTABLE (X) STABLE

HAZARDOUS POLYMERIZATION: () MAY OCCUR (X) WILL NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS: None

CONDITIONS TO AVOID: Heat

INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids and bases (caustic).

MATERIAL SAFETY DATA SHEET
THE FLOOD COMPANY P O BOX 2535 HUDSON OHIO 44236-0035
PH: 1-800-321-3444 FAX: 330-650-1453

RESTORA
CLEAR EXTERIOR VINYL REVITALIZER
LO-LUSTRE

SECTION IX- SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Very small quantities can be wiped or swept up.

WASTE DISPOSAL METHOD: Dispose in accordance with all local, State, and Federal regulations.

SECTION X - PREVENTATIVE MEASURES

RESPIRATORY PROTECTION: Not needed with normal use.

VENTILATION: Normal room ventilation but if conditions cause vapors to accumulate, provide a mechanical exhaust.

PROTECTIVE GLOVES: Usually not needed, however, if prolonged contact is probable, use rubber or plastic gloves.

EYE PROTECTION: Safety goggles.

OTHER PROTECTIVE EQUIPMENT: None needed.

HYGIENIC PRACTICES: Wash hands with soap and water thoroughly after use.

SECTION XI - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Avoid excessive heat and cold.

OTHER PRECAUTIONS: None

SECTION 313 - SUPPLIER NOTIFICATION

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CAS#	Chemical Name	% by Weight
107-21-1	Ethylene Glycol	< 2.0

This information is furnished without warranty, except it is accurate to the best of The Flood Company's knowledge or obtained from sources believed to be accurate. This information is not to be construed as representation for which The Flood Company assumes legal responsibility expressed or implied.

Last update NA - New Product