

Material Safety Data Sheet

SECTION	I	-	Material	Identity
SECTION	II	-	Manufacturer's	Information
SECTION	III	-	Physical/Chemical	Characteristics
SECTION	IV	-	Fire and Explosion	Hazard Data
SECTION	V	-	Reactivity	Data
SECTION	VI	-	Health Hazard	Data
SECTION	VII	-	Precautions for Safe Handling	and Use
SECTION	VIII	-	Control	Measures
SECTION	IX	-	Label	Data
SECTION	X	-	Transportation	Data
SECTION	XI	-	Site Specific/Reporting	Information

SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name	
Part Number/Trade Name	INTER. LATEX PAINT,COLOR ACCENTS,NEUTRAL TINT BASE R Y38A102
National Stock Number	8010PY38A102
CAGE Code	54636
Part Number Indicator	A
MSDS Number	180341
HAZ Code	B

SECTION II - Manufacturer's Information

Manufacturer Name	SHERWIN WILLIAMS
Street	101 PROSPECT AVE N.W
City	CLEVELAND
State	OH
Country	US
Zip Code	44115
Emergency Phone	216-566-2917
Information Phone	216-566-2902

MSDS Preparer's Information

Date MSDS Prepared/Revised	09JAN97
Active Indicator	N

Alternate Vendors

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	PAINT
Boiling Point	212-448F
Melting Point	NA
Vapor Density	>1
Specific Gravity	1.19
Evaporation Rate	<1
Solubility in Water	N/A
Percent Volatiles by Volume	67%
Chemical pH	9.5

Container Pressure Code	4
Temperature Code	8
Product State Code	L

SECTION IV - Fire and Explosion Hazard Data

Flash Point Method	NA
Lower Explosion Limit	NA
Upper Explosion Limit	NA
Extinguishing Media	CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM.WATER SPRAY MAY BE INEFFECTIVE,IF WATER USED,FOG NOZZLES PREFERABLE
Special Fire Fighting Procedures	FULL PROTECTIVE EQIP;SCBA. WATER MAY BE USED TO COOL CLOSED CONATINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTOIGNITON OR EXPLSION WHEN EXPOSED
Unusual Fire/Explosion Hazards	CLOSED CONTAINERS MAY EXPLIDE WHEN EXPOSED TO EXTREME HEAT

SECTION V - Reactivity Data

Stability	YES
Stability Conditions to Avoid	NONE KNOWN
Materials to Avoid	NONE KNOWN
Hazardous Decomposition Products	CARBON DIOXIDE, CARBON MONOXIDE
Hazardous Polymerization	NO
Polymerization Conditions to Avoid	WILL NOT OCCUR

SECTION VI - Health Hazard Data

Route of Entry: Skin	YES
Route of Entry: Ingestion	YES
Route of Entry: Inhalation	YES
Health Hazards - Acute and Chronic	IRRITATION OF EYES, SKIN AND UPPER RESPIRATORY SYSTEM. IN A CONFINED AREA VAPORS IN HIGH CONCENTRATION MAY CAUSE HEADACHE, NAUSEA, DIZZINESS
Carcinogenicity: NTP	YES
Carcinogenicity: IARC	YES
Carcinogenicity: OSHA	NO
Explanation of Carcinogenicity	CRYSTALLINE SILICA IS LISTED. LONG TERM EXPOSURE TO HIGH LEVELS OF DUST MAY CAUSE LUNG DAMAGE POSS. CANCER
Symptoms of Overexposure	REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSURE
Medical Cond. Aggravated by Exposure	NONE GENERALLY RECOGNIZED
Emergency/First Aid Procedures	INHALE: REMOVE FROM EXPOSURE. KEEP WARM/QUIET. SKIN: WASH AFFECTED AREA THOROUGHLY W/ SOAP/WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRY BEFORE RE-USE. EYE: FLUSH W/ WATER FOR > 15MIN. GET MEDICAL ATT. INGEST: GET MEDICAL ATT

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled	REMOVE ALL SOURCES FO IGNITIO.VENTILAT AN REMOVE WITH INERT ABSORBENT
Waste Disposal Method	IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULAITONS REGARDING POLLUTION
Handling and Storage Precautions	KEEP CLOSED WHEN NOT IN USE.TRANSFER ONLY TO APPROVED CONTAINERS W/COMPLETE AND APPROPRIATE LABELING.DO NOT TAKE INTERNALLY.KEEP OUT OF REACH CHILDREN

SECTION VIII - Control Measures

Respiratory Protection	IF ABOVE TLV: WEAR PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA. DUST/MIST RESPIRATOR WHEN SANDING
Ventilation	LOCAL EXHAUST PREFERABLE. ADEQUATE TO KEEP BELOW TLV
Protective Gloves	RECOMMENDED
Eye Protection	SAGETY SPECTACLES W/UNPERFORATED S/S
Work Hygenic Practices	WASH THOROUGHLY AFTER USE
Disposal Code	O

SECTION IX - Label Data

Protect Eye	YES
Protect Skin	YES
Protect Respiratory	NO
Chronic Indicator	UNKNOWN
Contact Code	SLIGHT
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN

SECTION X - Transportation Data

Container Quantity	1
Unit of Measure	GL

SECTION XI - Site Specific/Reporting Information

SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	2-2(-BUTOXYETHOXY)-ETHANOL
CAS Number	112345
Proprietary	NO
Percent	1
OSHA PEL	NE
ACGIH TLV	NE
Ingredient #	02

Ingredient Name	QUARTZ
CAS Number	14808607
Proprietary	NO
Percent	12
OSHA PEL	.1 MG/M3
ACGIH TLV	.1 MG/M3
Ingredient #	03
Ingredient Name	CALCIUM CARBONATE
CAS Number	471341
Proprietary	NO
Percent	11
OSHA PEL	15(5) MG/M3 AS RESP
ACGIH TLV	10 MG/M3
Ingredient #	04
Ingredient Name	TITANIUM DIOXIDE
CAS Number	13463677
Proprietary	NO
Percent	.36
OSHA PEL	10(5) MG/M3
ACGIH TLV	10 MG/M3
