

460

SUNNYSIDE CORP -- ODORLESS PAINT THINNER, 205

MSDS Safety Information

FSC: 8010
MSDS Date: 02/08/1996
MSDS Num: CCVYL
LIIN: 00N017048
Product ID: ODORLESS PAINT THINNER, 205
MFN: 02
Responsible Party
Cage: 9J570
Name: SUNNYSIDE CORP
Address: 225 CARPENTER AVE
City: WHEELING IL 60090
Info Phone Number: 847-541-5700
Emergency Phone Number: 800-424-9300 (CHEMTREC)
Published: Y

Contractor Summary

Cage: 9J570
Name: SUNNYSIDE CORP
Address: 225 CARPENTER AVE
City: WHEELING IL 60090-6009
Phone: 847-541-5700

Ingredients

Cas: 64742-48-9
Name: SYNTHETIC ADDITIVES WITH ISO-PARAFFINIC DILUENTS. VP:APPROX 2 @ 68F
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Name: ISOPARAFFINIC HYDROCARBONS
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Name: HYDROCARBON DISTILLATE
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Name: SUPDAT:INGREDIENT SECTION. USE EXPLOSION-PROOF EQUIPMENT. NO SMOKING.

Name: HYGIENE PRACT:CONTACT WITH SKIN. WASH SKIN WITH SOAP AND WATER AFTER CONTACT.

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO

Effects of Exposure: ACUTE:EYE:MAY CAUSE IRRIT, DISCOMFORT, REDNESS & SWELL. SKIN:LIQ IS SLIGHTLY IRRITATING. PRLNGD/RPTD CONT CAN RSLT IN DEFAT & DRYING OF SKIN WHICH MAY RSLT IN SKIN IRRIT & DERM. INHALTION:VAPS MAY CAU SE IRRIT TO NOSE, THROAT & RESP TRACT. BRTHG OF HIGH VAPOR CONCS MAY RSLT IN HDCH, DIZZ & OTHER SIGNS (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptions Of Overexposure: HLTH HAZ:OF NERV SYS DEPRESS. THESE EFTS HAVE BEEN OBSERVED AFTER MISUSE/ABUSE OF PROD. WHEN USE IN REASONABLE & FORESEABLE MANNER, NO ADVERSE EFTS ARE ANTIC FROM EXPOS TO THIS PROD.

INGEST:MAY RSLT I N VOMIT, ASPIR (BRTHG) OF VOMITUS INTO LUNGS MUST BE AVOIDED AS EVEN SM QTYS MAY RSLT IN ASPIR PNEUM. CHRONIC: (SUPDAT)  
 Medical Cond Aggravated By Exposure: REPEATED SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS (SKIN CONDITION).

First Aid: EYE:FLUSH W/PLENTY OF WATER FOR @ LST 15 MINS WHILE HOLDING EYELIDS OPEN. GET MED ATTN. SKIN:REMOVE CONTAMD CLTHG/SHOES. FLUSH W/WATER. FOLLOW BY WASHING W/SOAP & WATER. IF IRRIT OCCURS, GET MED ATTN. DO NOT REUSE CLTHG UNTIL CLEANED. INHAL:REMOVE VICTIM TO FRESH AIR & PROVIDE OXYG IF BRTHG IS DFCLT. GIVE ARTF RESP IF NOT BRTHG. INGEST:DO NOT INDUCE VOMIT. IF VOMIT OCCURS SPONT, KEEP HEAD (SUPDAT)

=====  
 Handling and Disposal  
 =====

Spill Release Procedures: REMOVE IGNITION SOURCES, EVACUATE AREA, AVOID BREATHING VAPOR/CONT WITH LIQUID. RECOVER FREE LIQUID OR STOP LEAK IF POSSIBLE. DIKE LARGE SPILLS & USE SAND FOR SMALL SPILLS. KEEP SPILLED MATL OUT OF SE WERS, DITCHES & BODIES OF WATER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE UNDER SAFE CONDITIONS; DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: GROUND CNTNRS WHEN TRANSFERRING LIQ TO PVNT STATIC ACCUM & DISCHARGE. "EMPTY" CNTNRS RETAIN RESIDUE (LIQ &/OR VAP) AND CAN BE DANGEROUS.

Other Precautions: DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND/EXPOSE SUCH CNTNRS TO HEAT, FLAME, SPKS/OTHER SOURCES OF IGNIT; THEY MAY EXPLODE & CAUSE INJURY/DEATH. DO NOT ATTEMPT TO CLEAN SINCE RESIDUE I S DFCLT TO REMOVE. "EMPTY" (SUPDAT)

=====  
 Fire and Explosion Hazard Information  
 =====

Flash Point Method: TCC

Flash Point Text: 120F,49C

Lower Limits: 1.3%

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER SPRAY. DO NOT USE DIRECT WATER STREAM; IT WILL SPREAD FIRE.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). COOL EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard: COMBUSTIBLE LIQUID - CLASS II. DO NOT STORE OR MIX WITH STRONG OXIDIANTS.

=====  
 Control Measures  
 =====

Respiratory Protection: NIOSH APPRVD APPROP VAPOR CANISTER, SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED-AIR HOSE MASK, IF NEEDED.

Ventilation: SUFFICIENT, IN VOL & PATTERN, TO KEEP WORKROOM CONC BELOW CURRENT APPLIC OSHA SFTY & HLTH REQUIREMENTS. SEE

Protective Gloves: RUBBER OR NEOPRENE GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).

Other Protective Equipment: IMPERVIOUS CLOTHING OR BOOTS, IF NEEDED. ANSI APPRVD EYE WASH & DELUGE SHOWER (FP N).

Work Hygienic Practices: KEEP AWAY FROM HEAT, SPKS & OPEN FLAME. KEEP CNTNRS CLSD WHEN NOT IN USE. AVOID EYE CONT. AVOID PRLNGD/RPTD

Supplemental Safety and Health: EFTS OF OVEREXP:REPEATED SKIN CONT MAY AGGRAVATE AN EXISTING DERMATITIS (SKIN CONDITION). FIRST AID PROC:BELOW HIPS TO PVNT ASPIR OF LIQ INTO LUNGS. GET MED ATTN. OTHER PREC:DRUMS SHOULD BE COMPLETELY DRAINED, PROPERLY BUNGED & PROMPTLY RETURNED TO SUPPLIER/DISPOSED OF IN ENVIRONMENTALLY SAFE MANNER & I/A/W GOVT REGS.

=====  
 Physical/Chemical Properties  
 =====

B.P. Text: >364F,>184C

Vapor Pres: SEE ING 1

Vapor Density: HVR/AIR

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water: NEGLIGIBLE

Appearance and Odor: CLEAR, WATER-WHITE LIQUID; LITTLE, IF ANY ODOR.  
Percent Volatiles by Volume: 100

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: HEAT, SPARKS AND FLAME.  
Materials To Avoid: STRONG OXIDIZING AGENTS LIKE LIQUID CHLORINE OR  
CONCENTRATED OXYGEN.  
Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD CARBON  
MONOXIDE.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NOT RELEVANT.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
HAZCOM Label  
=====

Product ID: ODORLESS PAINT THINNER, 205  
Cage: 9J570  
Company Name: SUNNYSIDE CORP  
Street: 225 CARPENTER AVE  
City: WHEELING IL  
Zipcode: 60090-6009  
Health Emergency Phone: 800-424-9300 (CHEMTREC)  
Label Required IND: Y  
Date Of Label Review: 01/13/1997  
Status Code: C  
Label Date: 01/13/1997  
Origination Code: G  
Chronic Hazard IND: Y  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: WARNING  
Respiratory Protection IND: YES  
Health Hazard: Moderate  
Contact Hazard: Moderate  
Fire Hazard: Moderate  
Reactivity Hazard: None  
Hazard And Precautions: COMBUSTIBLE. ACUTE: EYE:IRRITATION, DISCOMFORT, REDNESS  
& SWELLING. SKIN:IRRITATING; DEFATTING & DRYING, & DERMATITIS.  
INHALTION:IRRITATION TO NOSE, THROAT & RESPIRTORY TRACT. POSSIBLE  
HEADACHE, DIZZI NESS & OTHER SIGNS OF NERVOUS SYSTEM DEPRESSION.  
INGESTION:VOMITING, ASPIRATION (BREATHING) OF VOMITUS INTO LUNGS MUST BE  
AVOIDED AS EVEN SMALL QUANTITIES MAY RESULT IN ASPIRATION PNEUMONITIS.  
CHRONIC :DERMATITIS.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.