

Printing date 04/24/2006

Reviewed on 04/24/2006

1 Identification of substance

· Product details

- Trade name: **UHU Stic Envelope Sealer**
- Application of the substance / the preparation **Adhesives**

· Manufacturer/Supplier:

UHU GmbH & Co.KG
Herrmannstraße 7
D-77815 Bühl (Baden)
Tel.: 0049-(0)7223-284-0

Fax: 0049-(0)7223-284-245

· Information department: CRD

- Emergency information: 0049-(0)7223284-363/-370

2 Composition/Data on components

· Chemical characterization

- Description: **Adhesive**

- Dangerous components: **Void**

3 Hazards identification

- Hazard description: **Not applicable.**


· Information pertaining to particular dangers for man and environment:

The product does not have to be labelled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- NFPA ratings (scale 0 - 4)



Health = 0
Fire = 0
Reactivity = 0

- HMIS-ratings (scale 0 - 4)



Health = 0
Fire = 0
Reactivity = 0

4 First aid measures

- General information: **No special measures required.**
- After inhalation: **No special measures required.**
- After skin contact:
Immediately rinse with water.
Generally the product does not irritate the skin.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: **If symptoms persist consult doctor.**

5 Fire fighting measures

- Suitable extinguishing agents:
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

Trade name: UHU Stic Envelope Sealer

(Contd. of page 1)

· **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** No special measures required.
- **Measures for cleaning/collecting:**
 - Warm water
 - Pick up mechanically.

7 Handling and storage

- **Handling:**
 - **Information for safe handling:** No special measures required.
 - **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Protect from frost.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.
Avoid direct contact with the chemical/ the product/ the preparation by organizational measures.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.

9 Physical and chemical properties

· General Information

Form:	Solid
Color:	White
Odor:	Characteristic

· Change in condition

Melting point/Melting range: 64-65°C (147-149°F)
Boiling point/Boiling range: 100°C (212°F)

(Contd. on page 3)

Trade name: UHU Stic Envelope Sealer

(Contd. of page 2)

· Flash point:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure at 20°C (68°F):	23 hPa (17 mm Hg)
· Density at 20°C (68°F):	1.17 g/cm ³
· Solubility in / Miscibility with Water:	Soluble.
· pH-value at 20°C (68°F):	10.5
· Solvent content:	
Organic solvents:	15.0 %
Water:	51.7 %
VOC content:	15.0 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations.
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow product to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation:**
Smaller quantities can be disposed of with household waste.
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

Trade name: UHU Stic Envelope Sealer

(Contd. of page 3)

14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border):**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

15 Regulations

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

7732-18-5 | Wasser

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogeny categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

9003-39-8 | Polyvinylpyrrolidon

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Product related hazard informations:**

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials.



Printing date 04/24/2006

Reviewed on 04/24/2006

Trade name: UHU Stic Envelope Sealer

(Contd. of page 4)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS: CRD**

· **Contact:**

Frau A. Liar,

Herr Dr. C. Hanf

USA