

FEB-24-2224 17:28

COLORAMICS

98769924 P. 02/05

Page 1 of 4

02-04-04 ✓

**MAYCO MSDS SHEET #3**  
Active Products

30441-XXXX  
30442-XXXX  
30443-XXXX  
30444-XXXX

**SECTION 1 CHEMICAL PRODUCT AND COMPANY INFORMATION**

Prepared: September 22, 2003

Supersedes: All previous

Manufacturer: **MAYCO COLORS** division of Coloramics, LLC  
4077 Weaver Court South  
Hilliard, Ohio 43026  
United States of America

Distributor USA \_\_\_\_\_ Local Phone \_\_\_\_\_  
EC \_\_\_\_\_ Local Phone \_\_\_\_\_  
Australia \_\_\_\_\_ Local Phone \_\_\_\_\_

**IN CASE OF EMERGENCY PLEASE CONTACT YOUR LOCAL POISON CONTROL CENTER**

Prepared by: MSDS department Information Telephone Number: 614-876-1171  
Ceramic Glaze and underglazes and Miscellaneous.

- Astro Gem Glazes AS-510, 512, 513, 515, 516, 518, 519, 520, 521, 523, 524, 527, 528, 531, 532, 534, 535, 539, 541, 545, 547, 548, 551
- One Stroke Colors OS-1, 2, 3, 4, 6, 8, 9, 17, 18, 21, 26, 29, 32, 34, 36, 38, 41, 43, 44, 45, 46, 47, 48, 52, 54, 58, 59, 60, 61, 62, 63, 65, 66, 104, 105, 132, 136, 137, 138, 140, 142, 143, 144, 147, 153
- Underglazes UG-1, 2, 3, 7, 8, 10, 11, 12, 15, 17, 18, 19, 21, 22, 24, 25, 26, 27, 30, 31, 32, 33, 34, 35, 37, 38, 39, 41, 42, 43, 45, 46, 50, 51, 52, 53, 56, 57, 58, 67, 68, 69, 70, 71, 72, 73, 75, 78, 80, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 95, 97, 98, 100, 103, 104, 105, 108, 109, 110, 111, 116, 119, 125, 127, 128, 130, 131, 136, 141, 142, 144, 145, 146, 150, 178, 180, 181, 189, 191, 192, 194, 195, 196, 198, 201, 202
- Pottery Coats PC-501 through PC-505
- Miscellaneous AC-306, AC-308
- Series 2000 Glazes \*S-2101-2168  
S-2560, 2561, 2562, 2564, 2565, 2566, 2574, 2577, 2578, 2579, 2580, 2581, 2585  
S-2587, 2588, 2589, 2590, 2591, 2592, 2593  
\*Excluding: S-2104, 2105, 2122, 2130, 2168, and 2586
- Series 2000 Mattes\* S-2200, 2201, 2208, 2209, 2218, 2223, 2226, 2227, 2228, 2229, 2230, 2231, 208, S-2232, 2233, 2234, 2235, 2236, 2237, 2239, \*Excluding S-2224, S-2225.
- Stroke and Coat Series All Stroke and Coat (SC's) except SC-23, 58, 59, 62, 24, 20, 4, 67, 68, 50, SP-204, SD-304, SD-323 all SP series except SP-204
- Specstone Glazes S-2167, 2169, 2401, 2402, 2408, 2421, 2422, 2423, 2424, 2425, 2427
- Crystalites S-2701 through S-2718 & S-2719, S-2722, S-2723
- Roll a Coat SC-210
- Elements EL-101 through EL-118
- Chunky Elements EL-201 through EL-206
- Classic Crackles CC-500 through CC-507
- Clear Glaze S-2000, S-2101, SC-209
- Stoneware Like Glaze SLG-02, 06, 17

V-2872

**SECTION 2 COMPOSITION / INFORMATION ON INGREDIENTS**

INGREDIENTS	CAS	ACGIH TLV	OSHA PEL
Alumina Silicate	1332-58-7	NA	NA
Bentonite / Clay	1302-78-9	NA	NA
Water	7732-18-5	NA	NA

FEB-04-2004 17:25

UNCLASSIFIED

Page 2 of 4

**SECTION 3 HAZARDS IDENTIFICATION**

Crystalline Silica may be present.

(OSHA PEL .1mg/m<sup>3</sup>)

Route(s) of Entry: Ingestion, absorption through the skin is negligible.

Inhalation only if sprayed.

Health Hazards (acute and chronic): Prolonged inhalation of silica, in excess of TLV, over an extended period of time may result in injury to the lungs.

**SECTION 4 FIRST AID MEASURES**

If Inhaled: Remove from exposure

If on skin: Wash skin with soap and water

If in eyes: Flush eyes with large quantities of water for at least 15 minutes. If irritation persists after washing, contact a physician.

If swallowed: Dilute by drinking water

**SECTION 5 FIRE FIGHTING MEASURES****FIRE AND EXPLOSION HAZARD DATA**

Flash Point (method used): N/A

LEL: N/A

UEL: N/A Flammable Limits: N/A

Extinguishing Media: None required, not combustible.

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: None

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Steps to be taken in case material is released or spilled: Uncontaminated material may be recovered and re-used. If contaminated, scoop, vacuum, or wash into a receptacle for disposal. Waste Disposal Method: Follow Federal or State and Local regulations for disposal. Testing of the waste may be required to determine status under the hazardous waste regulations.

**SECTION 7 HANDLING AND STORAGE****PRECAUTIONS FOR SAFE HANDLING AND USE**

Engineer Control - None

Work practices- Store away from feed and food. Do not smoke, eat or drink while handling.

Procedure / equipment- None

Procedure for leaks or spills: Uncontaminated material may be recovered and re-used. If contaminated, scoop, vacuum, or wash into a receptacle for disposal.

Waste Disposal Method: Follow Federal or State and Local regulations for disposal.

**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

Use of the following protective measures are strongly recommended if the glazes are to be applied by spraying.

The Work/Hygienic Practices apply regardless of the method of application. Respiratory

Protection (Specify Type): Use a NIOSH approved dust and/or fume respirator as necessary.

Ventilation: Local Exhaust - for spraying

Protective Gloves: N/A

Eye Protection: for spraying

Other Protective Clothing or Equipment: Wear appropriate clean, protective clothing such as, but not limited to, overalls, smocks, and aprons. Work/Hygienic Practices: Food, beverages, and

FEB-24-2004 17:29

COLORAMICS

95165504 P. 24/25

Page 3 of 4

smoking materials should not be in the work area. Hygiene is very important. Wash thoroughly before eating, drinking, smoking, or applying cosmetics.

#### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Various colors  
Odor and odor threshold: Negligible  
PH: Not available  
Boiling Point: None  
Vapor Pressure: NA  
Vapor Density: NA  
Melting Point: above 1000oF  
Specific Gravity (H2O=1): 1.4 to 1.6  
Flammable Limits: None  
Explosive limits: None  
Partition Coefficient: None  
Oxidizing Properties: None  
Solubility in Water: Negligible  
Percent Volatile by Volume: None  
Evaporation Rate: None  
Freezing point: NA  
Flash Point: None  
Auto ignition temperature: None

#### SECTION 10 STABILITY AND REACTIVITY DATA

Incompatibility (material to avoid): Avoid fumes from firing by venting kiln area.  
Stability: Stable (conditions to avoid: N/A)  
Hazardous Decomposition or Byproducts: Not available  
Hazardous Polymerization: Will not occur  
Conditions to avoid: Fumes from firing in kiln. Inhalation of spray.

#### SECTION 11 TOXICOLOGICAL INFORMATION

Hazard to Human: None during normal use. Harmful if inhaled or swallowed.  
**DO NOT SPRAY APPLY**

If glaze is spray applied the following warnings apply: Warning: Contains Quartz.

1. Possible cancer agent based on tests with laboratory animals.
2. Exposure may cause lung damage.
3. Keep out of reach of children; avoid Inhalation.

This product contains chemicals known to the State of California to cause cancer.

Health Hazards (acute and chronic): Prolonged inhalation of silica, in excess of TLV, over an extended period of time may result in injury to the lungs.

Additional information: Frits are fused silica glass like substances. The bioavailability may be limited because of the physical nature of the frit.

#### SECTION 12 ECOLOGICAL INFORMATION

Mobility: Not Available  
Persistence/degradability: Not Available  
Bioaccumulation: Not Available  
Ecotoxicity: Not Available

FEB-04-2004 17:29

COLORAMICS

30441-1046

Page 4 of 4

**SECTION 13 DISPOSAL CONSIDERATIONS**

Waste Disposal Method: Follow your Federal or State and Local regulations for disposal. Lead is listed in US-EPA Code of Federal Regulations 40, Part 261.24. Testing of the waste may be required to determine status under the hazardous waste regulations.

Waste from residue/unused product: Can be landfilled according to local regulations.

Contaminated packing: Can be landfilled according to local regulations.

**SECTION 14 TRANSPORTATION INFORMATION**

UN Number: None for this product.

**SECTION 15 REGULATORY INFORMATION**

Silica is listed by California, Proposition 65

Silica is listed on the IARC, OSHA or NTP carcinogen list.

All Ingredients are on U.S. TSCA / EC / AICS / DSL Inventory.

See local requirements.

EU Status:

Symbol- None

WHMIS Status: Not Controlled

**SECTION 16 ADDITIONAL INFORMATION**

This information is furnished with out warranty, representation, Inducement or license of any Kind, except that it is accurate to the best of knowledge of COLORAMICS, LLC or obtained from sources believed to be accurate. COLORAMICS, LLC does not assume any legal responsibility for use or reliance on same. Customers are encouraged to conduct their own tests before using any product. Read the product label.

For more information In AUSTRALIA see web site [www.nohsc.gov.au](http://www.nohsc.gov.au)