



Delta Technical Coatings, Inc.

Material Safety Data Sheet

IDENTITY (As Used on label and List) Acrylic Gloss Finish Spray by Delta	<i>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</i>
--	--

SECTION I

Manufacturer's Name Alchemco Inc.	Emergency Telephone Number (800) 423-4135
Address 1916 Augusta Ct.	Telephone Number for Information (562) 695-7969
Ontario, California 91761	Date Prepared Rev. 1/31/05

SECTION II - Hazardous Ingredients/Identify Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	% by wt.
Methylene Chloride (cas#75-09-2)	N/A	100ppm	N/A	20
Isobutane Propane (cas# 68476-85-7)	N/A	800ppm	N/A	22
Toluene (cas# 108-88-3)	N/A	150ppm	N/A	38
Acrylic Resin (cas# 25013-15-4)	N/A	N/A	N/A	20

SECTION III -Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	0.787
Vapor Pressure (PSIG)	40-59 @ 70F	Melting Point	N/A
Vapor Density (AIR = 1)	>1	Evaporation Rate (Water = 1)	>1

Solubility in Water
Insoluble

Appearance and Odor
A clear liquid with a strong solvent odor.

SECTION IV -Fire and Explosion Hazard Data

Flash Point (Method Used) <25F TCC	Flammable Limits N/A	LEL N/A	UEL N/A
---------------------------------------	-------------------------	------------	------------

Extinguishing Media
Dry chemical, CO₂, water fog or standard foam.

Special Fire Fighting Procedures
Exposure to temperatures over 120F may cause bursting or venting. Keep container cool. Use equipment or shielding to protect

personnel against bursting or venting containers. Do not puncture or incinerate container.

Unusual Fire and Explosion Hazards
Do not use near sparks, open flame or while smoking.

SECTION V -Reactivity Data

Stability	Unstable		Conditions to Avoid Do not store above 120F.
	Stable	X	

Incompatibility (Materials to Avoid)

N/A

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization	May Occur		Conditions to Avoid N/A
	Will Not Occur	X	

SECTION VI -Health Hazard Data

Route(s) of Entry:	Inhalation? Yes	Skin? No	Ingestion? No
--------------------	--------------------	-------------	------------------

Health Hazards (Acute and Chronic)

May be harmful or fatal if swallowed. May cause eye or skin irritation.

Carcinogenicity:	NTP? Yes	IARC Monographs No	OSHA Regulated? Yes
------------------	-------------	-----------------------	------------------------

Signs and Symptoms of Exposure

Inhalation: Adverse health affects from vapors in poorly ventilated areas may include irritation of the mucous membranes of the nose, throat and respiratory tract and symptoms of headache and nausea.

Skin & Eye: Prolonged and repeated contact with product may cause skin irritation. Prolonged contact with product may result in eye irritation.

Ingestion: Nausea and/or vomiting may occur if ingested.

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Inhalation: Move subject to fresh air. Eye contact: Flush eyes with a large amount of water for at least 15 minutes. Consult a physician if irritation persists. Skin Contact: Wash affected areas thoroughly with soap and water. Consult a physician if irritation persists. Ingestion: If swallowed, give two glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person. DO NOT INDUCE VOMITING!

SECTION VII -Precautions for Safe Handling and Use

Steps To Be Taken in Case Material Is Released or Spilled

Control spill with paper towel. Dried refuse may be disposed of according to local, state and federal regulations.

Do not puncture or incinerate empty or full cans.

Waste Disposal Method

Dried refuse may be disposed of according to local, state and federal regulations. Check with local authorities for details on disposal.

Precautions to Be Taken in Handling and Storing

Avoid storing in areas exposed to direct sunlight. Keep from freezing temperatures. Store in a cool, dry place.

Other Precautions

Keep lid on can when not in use.

KEEP OUT OF REACH OF CHILDREN.

SECTION VIII -Control Measures

Respiratory Protection (*Specify Type*)

Ventilation	Local Exhaust	Yes	Special	NIOSH approved vapor respirator
	Mechanical (<i>General</i>)	Yes	Other	None

Protective Gloves

Impervious plastic or rubber.

Protective Glasses

Safety glasses may be worn to avoid eye contact.

Other Protective Clothing or Equipment

Long sleeve garments may be worn to avoid contact with skin.

Work/Hygenic Practices

Clean-up with soap and water. Wash hands with soap and water after using product. Place cap back on container tightly.

SECTION IX - Disclaimer

Delta Technical Coatings, Inc. Assumes no responsibility for personal injury or property damage to vendees,

users or third parties caused by the product. Such vendees assumes all risks associated with the use of this product.

HMIS SYMBOL

HEALTH	2
FLAMMABILITY	4
REACTIVITY	1

RATING

SEVERE	4
SERIOUS	3
MODERATE	2
SLIGHT	1
MINIMAL	0

Transportation Information:

D.O.T. : Consumer Commodity
I.A.T.A.: ORM-D Air